



Mitsubishi Electric/三菱电机 Stocks 202509

Contact:	
Manager:	Paul Zhou
Tell:	+8613871500835
Whatsapp/Wechat	+8613871500835
Webstie:	https://www.ldcontact.com
Email:	Sales@ldcontact.com



Brand	Detial	Stocks	Model	Discounted Price	Market Price
Mitsubishi Electric/三菱电机	Control coil type: AC Control coil Voltage: 200VAC Number of	9269	S-T10 AC200V 1A C VL	\$8.93	\$19.00
Mitsubishi Electric/三菱电机	Number of poles: 1P Rated current: 20A Tripping characteristic	6389	BH-D6 1P 20A TYPE C N (CH)	\$3.30	\$4.04
Mitsubishi Electric/三菱电机	Control coil type: AC Control coil Voltage: 200VAC Number of	5025	S-T12 AC200V 1A1B C VL	\$9.61	\$20.43
Mitsubishi Electric/三菱电机	Product type: Electric heating shell frame Rated current: 18A Se	4442	TH-T18KP 3.6A C	\$12.76	\$27.14
Mitsubishi Electric/三菱电机	Control coil type: AC Control coil Voltage: 200VAC Number of	3496	S-T21 AC200V 2A2B C	\$13.97	\$29.71
Mitsubishi Electric/三菱电机	Product type: Electric heating shell frame Rated current: 18A Se	2175	TH-T18KP 6.6A C	\$12.76	\$27.14
Mitsubishi Electric/三菱电机	Number of poles: 2P Rated current: 16A Tripping characteristic	2110	BH-D6 2P 16A TYPE C N (CH)	\$8.03	\$9.84
Mitsubishi Electric/三菱电机	Product type: Electric heating shell frame Rated current: 18A Se	1917	TH-T18KP 2.5A C	\$12.76	\$27.14
Mitsubishi Electric/三菱电机	Control coil type: AC Control coil Voltage: 200VAC Number of	1563	S-T50 AC200V 2A2B C	\$31.98	\$68.00
Mitsubishi Electric/三菱电机	Number of poles: 1P Rated current: 16A Tripping characteristic	1499	BH-D6 1P 16A TYPE C N (CH)	\$3.30	\$4.04
Mitsubishi Electric/三菱电机	Control coil type: AC Control coil Voltage: 200VAC Number of	1351	S-T35 AC200V 2A2B C VL	\$23.31	\$49.57
Mitsubishi Electric/三菱电机	Number of poles: 3P. Rack current: 63A. Rated current: 32A. Le	1145	NV63-CV 3P 32A 100-440V 30MA CE	\$67.71	\$144.00
Mitsubishi Electric/三菱电机	Number of poles: 3P Rated current: 32A Tripping characteristic	1122	BH-D6 3P 32A TYPE C N (CH)	\$13.80	\$16.91
Mitsubishi Electric/三菱电机	Control coil type: AC Control coil Voltage: 200VAC Number of	1077	S-T80 AC200V 2A2B C	\$50.48	\$107.86
Mitsubishi Electric/三菱电机	Number of poles: 3P Rated current: 63A Tripping characteristic	999	BH-D6 3P 63A TYPE C N (CH)	\$19.70	\$24.14
Mitsubishi Electric/三菱电机	Number of poles: 1P Rated current: 6A Tripping characteristics:	985	BH-D6 1P 6A TYPE C N (CH)	\$4.46	\$5.46
Mitsubishi Electric/三菱电机	Pole number: 3P, shell frame current: 125A, rated current: 63A,	883	NF125-SXV 3P 63A	\$63.82	\$135.71
Mitsubishi Electric/三菱电机	Number of poles: 1P Rated current: 10A Tripping characteristic	844	BH-D6 1P 10A TYPE C N (CH)	\$3.30	\$4.04
Mitsubishi Electric/三菱电机	Control coil type: AC Control coil Voltage: 200VAC Number of	776	S-T65 AC200V 2A2B C	\$40.51	\$86.14

Mitsubishi Electric/三菱电	Control coil type: DC Control coil Voltage: 24VDC Number of p	775	SD-Q11 DC24V 1A	\$26.25	\$52.71
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 20A Tripping characteristics	742	BH-D6 2P 20A TYPE C N (CH)	\$8.06	\$9.84
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 18A Se	686	TH-T18KP 1.7A C	\$12.70	\$27.14
Mitsubishi Electric/三菱电	Attachment type: Mechanical accessory Product type: Cover	650	UN-CZ500	\$2.52	\$12.86
Mitsubishi Electric/三菱电	Pole number: 3P, shell frame current: 250A, rated current: 250A	647	NF250-SXV 3P 250A	\$137.64	\$292.71
Mitsubishi Electric/三菱电	Number of poles: 1P+N Release characteristics: C Leakage curr	644	BV-DN 1PN 16A 30MA N (CH)	\$14.19	\$17.39
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 200VAC Number of f	642	S-T25 AC200V 2A2B C	\$18.72	\$40.00
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 25A Tripping characteristics	594	BH-D6 3P 25A TYPE C N (CH)	\$13.80	\$16.91
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 18A Se	574	TH-T18KP 5A C	\$12.76	\$27.14
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 200VAC Number of f	569	S-T32 AC200V C	\$17.78	\$38.00
Mitsubishi Electric/三菱电	Attachment type: Mechanical accessory Product type: Thermal	546	UT-HZ18	\$3.08	\$6.57
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 10A Tripping characteristics	535	BH-D6 2P 10A TYPE C N (CH)	\$8.03	\$9.84
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 18A Se	513	TH-T18KP 1.3A C	\$12.76	\$27.14
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 16A Tripping characteristics	501	BH-D6 3P 16A TYPE D N (CH)	\$16.45	\$20.15
Mitsubishi Electric/三菱电	Number of poles: 1P Rated current: 16A Tripping characteristics	492	BH-D6 1P 16A TYPE D N (CH)	\$4.46	\$5.46
Mitsubishi Electric/三菱电	-	491	CP30-BA 1P 1-M 3A A	\$13.17	\$28.00
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 200VAC Number of f	490	S-T100 AC200V 2A2B C	\$68.05	\$144.71
Mitsubishi Electric/三菱电	Number of poles: 1P Rated current: 32A Tripping characteristics	466	BH-D6 1P 32A TYPE D N (CH)	\$5.16	\$6.30
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 10A Tripping characteristics	463	BH-D6 3P 10A TYPE C N (CH)	\$12.73	\$15.60
Mitsubishi Electric/三菱电	Product type: Terminal cover	453	TCL-1SV4	\$6.55	\$13.93
Mitsubishi Electric/三菱电	Number of poles: 1P Rated current: 32A Tripping characteristics	449	BH-D6 1P 32A TYPE C N (CH)	\$3.68	\$4.51
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 200VAC Number of f	441	S-T20 AC200V 1A1B C VL	\$12.16	\$25.86
Mitsubishi Electric/三菱电	Control coil type: DC Control coil Voltage: 125VDC Number of f	435	SD-T21 DC125V 2A2B	\$34.73	\$73.86
Mitsubishi Electric/三菱电	Attachment type: Electrical accessory Product type: Auxiliary co	433	UT-AX4 2A2B	\$6.92	\$14.71
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 32A Tripping characteristics	429	BH-D6 2P 32A TYPE C N (CH)	\$8.81	\$10.79
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 6A Tripping characteristics:	414	BH-D6 2P 6A TYPE C N (CH)	\$10.64	\$13.04
Mitsubishi Electric/三菱电	Number of poles: 1P+N, tripping characteristics: C, leakage cur	411	BV-DN 1PN 32A 30MA N (CH)	\$16.98	\$20.81
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 63A. Rated current: 63A. Le	402	NV63-CV 3P 63A 100-440V 30MA CE	\$67.71	\$144.00
Mitsubishi Electric/三菱电	Control coil type: DC Control coil Voltage: 24VDC Number of p	394	SD-T12 DC24V 1A1B	\$29.89	\$63.57
Mitsubishi Electric/三菱电	Number of poles: 4P Leakage current: 30mA Rated current: 25A	389	BV-D 4P 25A 30MA N (CH)	\$28.68	\$35.75

Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 20A Tripping characteristics: C	384	BH-D6 3P 20A TYPE C N (CH)	\$12.73	\$15.60
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 40A Tripping characteristics: C	355	BH-D6 3P 40A TYPE C N (CH)	\$16.45	\$20.15
Mitsubishi Electric/三菱电	Number of poles: 1P+N, tripping characteristics: C, leakage current: 30mA	352	BV-DN 1PN 20A 30MA N (CH)	\$14.19	\$17.39
Mitsubishi Electric/三菱电	Number of poles: 1P+N, tripping characteristics: C, leakage current: 30mA	346	BV-DN 1PN 25A 30MA N (CH)	\$16.98	\$20.81
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 50A Tripping characteristics: C	326	BH-D6 3P 50A TYPE C N (CH)	\$18.42	\$22.57
Mitsubishi Electric/三菱电	Product Type: Alarm Contact	314	AL-05SV	\$18.54	\$39.43
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 125A. Rated current: 100A. Tripping characteristics: C	310	NF125-CV 3P 100A	\$56.90	\$121.00
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 32A Tripping characteristics: C	293	BH-D6 3P 32A TYPE D N (CH)	\$17.74	\$21.74
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 3A Tripping characteristics: C	290	BH-D6 2P 3A TYPE C N (CH)	\$10.64	\$13.04
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 16A Tripping characteristics: C	287	BH-D6 3P 16A TYPE C N (CH)	\$12.73	\$15.60
Mitsubishi Electric/三菱电	-	267	CP30-BA 2P 1-M 3A A	\$28.89	\$61.43
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 18A Sealed contact	266	TH-T18KP 15A C	\$12.76	\$27.14
Mitsubishi Electric/三菱电	Product Type: Auxiliary Contact	263	AX-05SV	\$16.86	\$35.86
Mitsubishi Electric/三菱电	Product type: Terminal cover	256	TCL-1SV3	\$5.56	\$11.81
Mitsubishi Electric/三菱电	Control voltage: 200VAC Contact type: 3NO+2NC	255	SR-T5 AC200V 3A2B	\$12.73	\$25.43
Mitsubishi Electric/三菱电	Product type: Terminal cover	254	TCL-2SV3	\$10.88	\$23.14
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 25A Tripping characteristics: C	254	BH-D6 2P 25A TYPE C N (CH)	\$8.81	\$10.79
Mitsubishi Electric/三菱电	-	247	CP30-BA 2P 2-M 10A B	\$36.14	\$76.86
Mitsubishi Electric/三菱电	Product type: Terminal cover	241	TCS-1SV3	\$2.42	\$5.14
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 20A Tripping characteristics: C	234	BH-D6 2P 20A TYPE D N (CH)	\$10.68	\$13.04
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 125A. Rated current: 125A. Tripping characteristics: C	230	NF125-SXV 3P 125A	\$74.36	\$158.14
Mitsubishi Electric/三菱电	Number of poles: 2P Leakage current: 30mA Rated current: 40A Tripping characteristics: C	223	BV-D 2P 40A 30MA N (CH)	\$21.54	\$26.39
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 25A Tripping characteristics: C	222	BH-D6 2P 25A TYPE D N (CH)	\$12.09	\$14.82
Mitsubishi Electric/三菱电	-	214	CP30-BA 2P 2-M 3A B	\$36.14	\$76.86
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 10A Tripping characteristics: C	214	BH-D6 2P 10A TYPE D N (CH)	\$10.68	\$13.04
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 63A. Rated current: 63A. Tripping characteristics: C	206	NF63-CV 3P 63A	\$30.97	\$67.86
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 200VAC Number of poles: 2P	194	S-N125 AC200V 2A2B	\$101.29	\$216.43
Mitsubishi Electric/三菱电	-	194	CP30-BA 2P 1-M 10A A	\$28.89	\$61.43
Mitsubishi Electric/三菱电	Number of poles: 1P+N Release characteristics: C Leakage current: 30mA	182	BV-DN 1PN 10A 30MA N (CH)	\$14.19	\$17.39
Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 63A. Rated current: 50A. Tripping characteristics: C	180	NF63-CV 3P 50A	\$30.97	\$67.86

Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 63A Tripping characteristic	171	BH-D6 2P 63A TYPE C N (CH)	\$13.01	\$15.94
Mitsubishi Electric/三菱电	Pole number: 3P, shell frame current: 125A, rated current: 100A	171	NF125-SXV 3P 100A	\$63.82	\$135.71
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 18A Se	166	TH-T18KP 0.9A C	\$12.76	\$27.14
Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 125A. Rated current: 80A. Break	165	NF125-SXV 3P 80A	\$63.82	\$135.71
Mitsubishi Electric/三菱电	-	162	CP30-BA 2P 1-M 5A A	\$28.89	\$61.43
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 25A Tripping characteristic	145	BH-D6 3P 25A TYPE D N (CH)	\$17.74	\$21.74
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 125A. Rated current: 125A.	144	NF125-CV 3P 125A	\$55.22	\$121.00
Mitsubishi Electric/三菱电	Control coil type: DC Control coil Voltage: 24VDC Number of p	144	SD-T35 DC24V 2A2B	\$43.46	\$92.43
Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 63A. Rated current: 50A. Leakag	133	NV63-CV 3P 50A 100-440V 30MA CE	\$67.39	\$144.00
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 63A. Rated current: 40A. Le	126	NV63-CV 3P 40A 100-440V 30MA CE	\$67.39	\$144.00
Mitsubishi Electric/三菱电	Pole number: 3P, shell frame current: 160A, rated current: 160A	123	NF160-SXV 3P 160A	\$80.27	\$170.71
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 200VAC Number of f	113	S-N150 AC200V 2A2B	\$126.76	\$269.57
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 32A. Rated current: 16A. Le	105	NV32-SV 3P 16A 100-440V 30MA CE	\$84.57	\$180.71
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 100VAC Number of f	102	S-T35 AC100V 2A2B C VL	\$23.31	\$49.57
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 63A Tripping characteristic	100	BH-D6 3P 63A TYPE D N (CH)	\$24.31	\$29.79
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 400A. Rated current: 400A.	94	NF400-SW 3P 400A (CH)	\$280.72	\$597.00
Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 63A. Rated current: 10A. Breaki	94	NF63-CV 3P 10A	\$30.97	\$67.86
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 25A Se	90	TH-T25KP 15A C	\$12.76	\$27.14
Mitsubishi Electric/三菱电	Pole number: 3P, shell frame current: 63A, rated current: 50A, b	88	NF63-SV 3P 50A	\$33.84	\$74.14
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 200VAC Number of f	88	S-N220 AC200V 2A2B	\$175.99	\$374.29
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 40A Tripping characteristic	87	BH-D6 2P 40A TYPE C N (CH)	\$10.79	\$13.23
Mitsubishi Electric/三菱电	Pole number: 3P, shell frame current: 63A, rated current: 20A, b	85	NF63-SV 3P 20A	\$34.86	\$74.14
Mitsubishi Electric/三菱电	-	84	F-4S LF DF	\$59.99	\$127.57
Mitsubishi Electric/三菱电	-	82	CP30-BA 2P 2-M 5A B	\$36.14	\$76.86
Mitsubishi Electric/三菱电	Pole number: 3P, shell frame current: 63A, rated current: 40A, b	75	NF63-CV 3P 40A	\$30.97	\$67.86
Mitsubishi Electric/三菱电	Attachment type: Electrical accessory Product type: Auxiliary co	74	UT-AX2 2A	\$4.53	\$10.24
Mitsubishi Electric/三菱电	Pole number: 3P, shell frame current: 250A, rated current: 200A	74	NF250-SXV 3P 200A	\$137.64	\$292.71
Mitsubishi Electric/三菱电	Control coil type: DC Control coil Voltage: 24VDC Number of p	74	SD-T65 DC24V 2A2B	\$87.26	\$185.57
Mitsubishi Electric/三菱电	Number of poles: 4P Rated current: 63A Tripping characteristic	72	BH-D6 4P 63A TYPE C N (CH)	\$26.28	\$32.21
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 32A. Rated current: 10A. Le	70	NV32-SV 3P 10A 100-440V 30MA CE	\$84.98	\$180.71

Mitsubishi Electric/三菱電	Pole number: 3P, shell frame current: 63A, rated current: 32A, b	70	NF63-CV 3P 32A	\$31.91	\$67.86
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 32A. Rated current: 6A. Lea	70	NV32-SV 3P 6A 100-440V 30MA CE	\$84.57	\$180.71
Mitsubishi Electric/三菱電	Number of poles: 1P Rated current: 25A Tripping characteristic	67	BH-D6 1P 25A TYPE C N (CH)	\$3.68	\$4.51
Mitsubishi Electric/三菱電	-	66	CP30-BA 2P 1-M 1A A	\$28.89	\$61.43
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 63A. Rated current: 32A. Le	66	NV63-SV 3P 32A 100-440V 30MA CE	\$88.27	\$187.71
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 63A. Rated current: 63A. Le	64	NV63-CV 3P 63A 100-440V 1.2.500MA CE	\$67.39	\$144.00
Mitsubishi Electric/三菱電	Product type: Terminal cover	63	TCS-05FA3	\$3.04	\$6.66
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 30A. Rated current: 10A. Br	62	NF30-FAU 3P 10A	\$32.19	\$61.14
Mitsubishi Electric/三菱電	Control coil type: AC Control coil Voltage: 100VAC Number of	61	S-T25 AC100V 2A2B C	\$18.72	\$40.00
Mitsubishi Electric/三菱電	Product type: Electric heating shell frame Rated current: 25A Se	59	TH-T25KP 22A C	\$12.76	\$27.14
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 32A. Rated current: 20A. Le	58	NV32-SV 3P 20A 100-440V 30MA CE	\$84.98	\$180.71
Mitsubishi Electric/三菱電	-	58	CP30-BA 1P 1-M 10A A	\$13.17	\$28.00
Mitsubishi Electric/三菱電	Number of poles: 1P Rated current: 10A Tripping characteristic	56	BH-D10 1P 10A TYPE C N (CH)	\$3.68	\$4.51
Mitsubishi Electric/三菱電	Control coil type: AC Control coil Voltage: 400VAC Number of	55	S-N150 AC400V 2A2B	\$126.76	\$269.57
Mitsubishi Electric/三菱電	Attachment type: Mechanical accessory Product type: Cover	55	UN-CZ800	\$8.02	\$17.14
Mitsubishi Electric/三菱電	Product type: Electric heating shell frame Rated current: 18A Se	54	TH-T18KP 9A C	\$12.76	\$27.14
Mitsubishi Electric/三菱電	Pole number: 2P Shell frame current: 30A Rated current: 5A Lea	54	NV30-FAU 2P 5A 100-240V 30MA	\$60.55	\$115.00
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 125A. Rated current: 100A.	53	NV125-CV 3P 100A 100-440V 1.2.500MA CE	\$103.52	\$220.14
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 400A. Rated current: 400A.	50	NF400-CW 3P 400A (CH)	\$237.12	\$504.29
Mitsubishi Electric/三菱電	Pole number: 4P, shell frame current: 125A, rated current: 100A	49	NV125-SV 4P 100A 200-440V 1.2.500MA CE	\$197.76	\$420.57
Mitsubishi Electric/三菱電	Product type: Electric heating shell frame Rated current: 18A Se	47	TH-T18KP 0.5A	\$17.12	\$36.57
Mitsubishi Electric/三菱電	Number of poles: 4P Rated current: 32A Tripping characteristic	46	BH-D6 4P 32A TYPE C N (CH)	\$18.42	\$22.57
Mitsubishi Electric/三菱電	Number of poles: 4P. Rack current: 125A. Rated current: 125A.	46	NV125-SV 4P 125A 200-440V 30MA CE	\$186.13	\$420.57
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 30A. Rated current: 20A. Br	44	NFC30-SMX 3P 20A	\$22.92	\$40.43
Mitsubishi Electric/三菱電	Product type: Terminal cover	43	TCL-05SV3	\$3.39	\$7.42
Mitsubishi Electric/三菱電	Number of poles: 4P. Rack current: 125A. Rated current: 100A.	43	NV125-SV 4P 100A 200-440V 30MA CE	\$197.76	\$420.57
Mitsubishi Electric/三菱電	Number of poles: 4P. Rack current: 125A. Rated current: 32A. L	42	NV125-SV 4P 32A 200-440V 30MA CE	\$186.13	\$420.57
Mitsubishi Electric/三菱電	Number of poles: 4P Leakage current: 30mA Rated current: 63A	42	BV-D 4P 63A 30MA N (CH)	\$37.07	\$45.43
Mitsubishi Electric/三菱電	Number of poles: 3P Rated current: 20A Tripping characteristic	42	BH-D6 3P 20A TYPE D N (CH)	\$16.45	\$20.15
Mitsubishi Electric/三菱電	Number of poles: 1P+N, tripping characteristics: C, leakage cur	42	BV-DN 1PN 6A 30MA N (CH)	\$15.53	\$19.03

Mitsubishi Electric/三菱电	Expansion version type: Communication expansion board Com	41	FX3U-485-BD	\$30.03	\$84.29
Mitsubishi Electric/三菱电	Product type: Terminal cover	40	TCL-4SW3	\$26.80	\$57.00
Mitsubishi Electric/三菱电	Product type: Terminal cover	38	TCL-05SV2	\$3.28	\$6.97
Mitsubishi Electric/三菱电	Number of poles: 4P Leakage current: 30mA Rated current: 40A	38	BV-D 4P 40A 30MA N (CH)	\$32.47	\$39.79
Mitsubishi Electric/三菱电	Attachment type: Electrical accessory Product type: Auxiliary co	38	UN-AX150 1A1B	\$5.80	\$12.38
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 400A. Rated current: 300A.	38	NF400-CW 3P 300A (CH)	\$237.12	\$504.29
Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 125A. Rated current: 80A. Leaka	38	NV125-CV 3P 80A 100-440V 1.2.500MA CE	\$103.52	\$220.14
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 120A S	38	TH-N120KP 42A	\$25.74	\$55.00
Mitsubishi Electric/三菱电	-	37	CP30-BA 1P 1-M 7A A	\$13.17	\$28.00
Mitsubishi Electric/三菱电	Control coil type: DC Control coil Voltage: 24VDC Number of p	36	SD-T32 DC24V	\$35.22	\$79.57
Mitsubishi Electric/三菱电	Control coil type: DC Control coil Voltage: 24VDC Number of p	35	SD-T50 DC24V 2A2B	\$73.94	\$158.00
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 125A. Rated current: 100A.	34	NV125-CV 3P 100A 100-440V 30MA CE 国产	\$97.43	\$220.14
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 32A Tripping characteristics	34	BH-D6 2P 32A TYPE D N (CH)	\$12.09	\$14.82
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 630A. Rated current: 630A.	34	NF630-SW 3P 630A (CH)	\$393.97	\$837.86
Mitsubishi Electric/三菱电	Number of poles: 1P Rated current: 2A Tripping characteristics:	34	BH-D6 1P 2A TYPE C N (CH)	\$5.93	\$7.27
Mitsubishi Electric/三菱电	Number of poles: 2P Rack current: 63A Rated current: 20A Leak	34	NV63-CV 2P 20A 100-440V 30mA CE	\$64.89	\$138.00
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 30A. Rated current: 20A. Le	33	NV30-FAU 3P 20A 100-240V 30MA	\$88.68	\$168.43
Mitsubishi Electric/三菱电	Control coil type: DC Control coil Voltage: 24VDC Number of p	31	SD-Q12 DC24V 1A1B	\$33.57	\$67.43
Mitsubishi Electric/三菱电	Power Supply Voltage Type: AC100-240V Input/Output Total P	31	FX5U-64MR/ES	\$457.37	\$1,211.43
Mitsubishi Electric/三菱电	Number of poles: 1P+N Release characteristics: C Leakage curr	30	BV-DN 1PN 40A 30MA N (CH)	\$20.38	\$24.97
Mitsubishi Electric/三菱电	Product Type: Alarm Contact	29	AL-2MXRA	\$12.69	\$20.86
Mitsubishi Electric/三菱电	-	29	FX3U-232ADP-MB	\$84.96	\$238.57
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 25A Se	28	TH-T25KP 9A C	\$12.70	\$27.14
Mitsubishi Electric/三菱电	Number of poles: 3P Rated current: 10A Tripping characteristics	28	BH-D6 3P 10A TYPE D N (CH)	\$16.45	\$20.15
Mitsubishi Electric/三菱电	-	27	CP30-BA 3P 1-M 15A A	\$45.21	\$96.14
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 400VAC Number of f	26	S-T35 AC400V 2A2B C VL	\$23.31	\$49.57
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 63A. Rated current: 63A. Le	26	NV63-SV 3P 63A 100-440V 30MA CE	\$88.27	\$187.71
Mitsubishi Electric/三菱电	Expansion version type: Communication expansion board Com	24	FX3G-422-BD	\$24.90	\$70.00
Mitsubishi Electric/三菱电	Product type: Terminal cover	24	TCL-CP2	\$1.64	\$3.48
Mitsubishi Electric/三菱电	Power supply voltage type: AC100-240V Total input/output po	24	FX3GA-40MT-CM	\$222.26	\$665.71

Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 32A. Rated current: 6A. Breaking	22	NF32-SV 3P 6A	\$32.27	\$70.71
Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 32A. Rated current: 3A. Breaking	22	NF32-SV 3P 3A	\$33.25	\$70.71
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 18A Se	22	TH-T18KP 0.17A	\$17.20	\$36.57
Mitsubishi Electric/三菱电	-	21	CP30-BA 2P 1-M 7A A	\$28.89	\$61.43
Mitsubishi Electric/三菱电	Digital Expansion Type: Input/Output Module Digital Input Poir	20	FX5-16ER/ES	\$136.32	\$350.00
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 100A. Rated current: 80A. B	20	NFC100-SMXA 3P 80A	\$44.42	\$73.00
Mitsubishi Electric/三菱电	Pole number: 2P. Rack current: 32A. Rated current: 3A. Breaking	20	NF32-SV 2P 3A	\$22.62	\$49.57
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 200VAC Number of f	19	S-T10 AC200V 1B C VL	\$8.93	\$19.00
Mitsubishi Electric/三菱电	Digital Expansion Type: Output Module Digital Output Points: D	19	FX2N-8EYT	\$56.90	\$160.00
Mitsubishi Electric/三菱电	-	19	CP30-BA 3P 1-M 1A A	\$45.21	\$96.14
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 400VAC Number of f	19	S-N400 AC400V 2A2B	\$350.44	\$745.29
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 630A. Rated current: 500A.	19	NF630-CW 3P 500A (CH)	\$332.48	\$751.29
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 50A Se	18	TH-T50KP 35A C	\$17.87	\$38.00
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 50A Se	18	TH-T50KP 29A C	\$17.78	\$38.00
Mitsubishi Electric/三菱电	Product Type: Auxiliary Contact	18	AX-2MXLA	\$10.87	\$17.86
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 1A Tripping characteristics:	18	BH-D6 2P 1A TYPE C N (CH)	\$13.01	\$15.94
Mitsubishi Electric/三菱电	Number of poles: 1P Rated current: 20A Tripping characteristic	18	BH-D6 1P 20A TYPE D N (CH)	\$4.47	\$5.46
Mitsubishi Electric/三菱电	Number of poles: 4P. Rack current: 250A. Rated current: 150A.	18	NV250-SV 4P 150A 200-440V 1.2.500MA CE	\$284.01	\$604.00
Mitsubishi Electric/三菱电	-	17	CP30-BA 2P 2-M 7A B	\$36.14	\$76.86
Mitsubishi Electric/三菱电	Power supply voltage type: AC100-240V Total input/output po	17	FX3GA-40MR-CM	\$217.13	\$650.00
Mitsubishi Electric/三菱电	Product type: Terminal cover	16	TCS-05MX2	\$1.20	\$1.97
Mitsubishi Electric/三菱电	Product Type: Auxiliary Contact	16	AX-05SVLS	\$26.33	\$56.00
Mitsubishi Electric/三菱电	Product type: Direct rotating handle	16	V-2MXA	\$30.60	\$50.29
Mitsubishi Electric/三菱电	Pole number: 3P, shell frame current: 60A, rated current: 16A, b	16	NFC60-SMXA 3P 16A	\$25.75	\$42.14
Mitsubishi Electric/三菱电	Power Supply Voltage Type: AC100-240V Input/Output Total P	15	FX5U-32MR/ES	\$375.38	\$994.29
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 4A Tripping characteristics:	15	BH-D10 2P 4A TYPE C N (CH)	\$14.13	\$17.25
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 63A. Rated current: 30A. Le	14	NV63-CV 3P 30A 100-440V 30MA CE	\$67.71	\$144.00
Mitsubishi Electric/三菱电	Attachment type: Electrical accessory Product type: Auxiliary co	14	UT-AX2 1A1B	\$4.65	\$9.94
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 30A. Rated current: 15A. Bre	14	NF30-FAU 3P 15A	\$32.19	\$61.14
Mitsubishi Electric/三菱电	-	14	NF50-FAU 2P 50A	\$37.24	\$70.86

Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 63A. Rated current: 25A. Breaker	13	NF63-CV 3P 25A	\$30.97	\$67.86
Mitsubishi Electric/三菱电	-	13	FX5-CCL-MS	\$169.32	\$434.29
Mitsubishi Electric/三菱电	Number of poles: 2P Rack current: 30A Rated current: 15A Breaker	13	NFC30-SMX 2P 15A	\$17.37	\$28.43
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 125A. Rated current: 30A. Breaker	13	NF125-SV 3P 30A	\$70.13	\$149.14
Mitsubishi Electric/三菱电	Product type: Terminal cover	12	TCS-1SV4	\$3.39	\$7.42
Mitsubishi Electric/三菱电	-	12	FX3U-4AD-ADP	\$131.58	\$370.00
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 250A. Rated current: 200A. Breaker	12	NFC250-CMXA 3P 200A	\$73.02	\$120.00
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 125A. Rated current: 63A. Breaker	12	NF125-SV 3P 63A	\$68.07	\$149.14
Mitsubishi Electric/三菱电	-	12	YS-208NAA 5A 0-60-180A 60/5A BR	\$33.24	\$33.43
Mitsubishi Electric/三菱电	-	12	YS-208NAA 5A 0-40-120A 40/5A BR	\$33.24	\$33.43
Mitsubishi Electric/三菱电	-	12	FX5-CNV-BUS	\$31.22	\$80.29
Mitsubishi Electric/三菱电	-	12	CP30-BA 1P 2-M 2A B	\$22.30	\$47.43
Mitsubishi Electric/三菱电	Digital Expansion Type: Input Module Digital Input Points: DI 16	11	FX2N-16EX	\$71.72	\$201.43
Mitsubishi Electric/三菱电	-	11	FX5-4DA-ADP	\$250.52	\$642.86
Mitsubishi Electric/三菱电	Power Supply Voltage Type: AC100-240V Input/Output Total Power	11	FX3G-60MR/ES	\$369.26	\$921.43
Mitsubishi Electric/三菱电	-	11	CP30-BA 2P 1-S 5A A	\$32.04	\$68.14
Mitsubishi Electric/三菱电	Number of poles: 4P. Rack current: 250A. Rated current: 175A. Breaker	11	NV250-SV 4P 175A 200-440V 1.2.500MA CE	\$267.30	\$604.00
Mitsubishi Electric/三菱电	-	11	FX3U-485ADP-MB	\$105.31	\$295.71
Mitsubishi Electric/三菱电	-	11	FX5-65EC	\$22.92	#VALUE!
Mitsubishi Electric/三菱电	Power supply voltage type: AC100-240V Total input/output power	11	FX3U-16MR/ES-A	\$248.15	\$742.86
Mitsubishi Electric/三菱电	Power supply voltage type: AC100-240V Total input/output power	11	FX3U-48MT/ES-A	\$334.48	\$1,001.43
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 125A. Rated current: 50A. Breaker	11	NV125-SV 3P 50A 100-440V 1.2.500MA CE	\$166.72	\$376.71
Mitsubishi Electric/三菱电	-	11	FX5-CNV-IFC	\$31.22	\$80.29
Mitsubishi Electric/三菱电	-	11	FX5-CNV-IF	\$26.08	\$67.00
Mitsubishi Electric/三菱电	Control voltage: DC24V Set current: 0.5A	11	MSOD-Q11 0.5A DC24V 1A	\$37.82	\$75.57
Mitsubishi Electric/三菱电	Number of poles: 4P. Rack current: 250A. Rated current: 250A. Breaker	10	NV250-SV 4P 250A 200-440V 1.2.500MA CE	\$284.01	\$604.00
Mitsubishi Electric/三菱电	Number of poles: 1P Rated current: 6A Tripping characteristics: B	10	BH-D6 1P 6A TYPE D N (CH)	\$5.28	\$6.58
Mitsubishi Electric/三菱电	Pole number: 2P Shell frame current: 30A Rated current: 15A Breaker	10	NF30-FAU 2P 15A	\$23.32	\$44.29
Mitsubishi Electric/三菱电	Digital Expansion Type: Output Module Digital Output Points: DO	10	FX2N-16EYT	\$81.40	\$228.57
Mitsubishi Electric/三菱电	-	10	FX3G-40MT/ES	\$325.20	\$811.43

Mitsubishi Electric/三菱电机		10	NFC30-SMX 2P 10A	\$17.30	\$28.43
Mitsubishi Electric/三菱电机	Number of poles: 3P. Rack current: 63A. Rated current: 50A. Le	10	NV63-SV 3P 50A 100-440V 30MA CE	\$88.27	\$187.71
Mitsubishi Electric/三菱电机	Number of poles: 3P. Rack current: 250A. Rated current: 225A.	10	NV250-CV 3P 225A 100-440V 1.2.500MA CE	\$185.05	\$418.14
Mitsubishi Electric/三菱电机	Power supply voltage type: AC100-240V Total input/output po	10	FX3SA-10MR-CM	\$85.35	\$255.71
Mitsubishi Electric/三菱电机	-	10	CP30-BA 2P 1-MD 5A A	\$35.40	\$75.29
Mitsubishi Electric/三菱电机	Pole number: 2P Shell frame current: 30A Rated current: 30A L	9	NV30-FAU 2P 30A 100-240V 30MA W	\$60.55	\$115.00
Mitsubishi Electric/三菱电机	Power supply voltage type: AC100-240V Total input/output po	9	FX3SA-30MR-CM	\$155.49	\$465.71
Mitsubishi Electric/三菱电机	Number of poles: 3P. Rack current: 630A. Rated current: 630A.	9	NF630-CW 3P 630A (CH)	\$353.27	\$751.29
Mitsubishi Electric/三菱电机	-	9	FX3U-4DA-ADP	\$188.09	\$528.57
Mitsubishi Electric/三菱电机	Number of poles: 3P. Rack current: 60A. Rated current: 40A. Br	9	NFC60-CMXA 3P 40A	\$24.86	\$40.86
Mitsubishi Electric/三菱电机	Number of poles: 3P. Rack current: 1250A. Rated current: 1250	9	NF1250-SEW 3P 600-1250A	\$1,492.99	\$3,373.57
Mitsubishi Electric/三菱电机	Expansion version type: Communication expansion board Com	9	FX3U-232-BD	\$30.03	\$84.29
Mitsubishi Electric/三菱电机	Power supply voltage type: AC100-240V Total input/output po	9	FX3U-128MT/ES-A	\$617.40	\$1,848.57
Mitsubishi Electric/三菱电机	Analog extension type: Input module Analog input channels: 8	8	FX5-8AD	\$494.91	\$1,270.00
Mitsubishi Electric/三菱电机	Control coil type: AC Control coil Voltage: 400VAC Number of	8	S-T25 AC400V 2A2B C	\$18.72	\$40.00
Mitsubishi Electric/三菱电机	Power Supply Voltage Type: AC100-240V Input/Output Total P	8	FX3SA-20MT-CM	\$130.20	\$390.00
Mitsubishi Electric/三菱电机	Digital Expansion Type: Input/Output Module Digital Input Poin	8	FX5-32ER/ES	\$234.32	\$601.43
Mitsubishi Electric/三菱电机	Digital Expansion Type: Output Module Digital Output Points: D	8	FX5-8EYT/ES	\$68.56	\$175.71
Mitsubishi Electric/三菱电机	Pole number: 2P Shell frame current: 30A Rated current: 20A B	8	NFC30-SMX 2P 20A	\$17.37	\$28.43
Mitsubishi Electric/三菱电机	Product type: Direct rotating handle	8	F-1MXA	\$24.51	\$40.29
Mitsubishi Electric/三菱电机	Power supply voltage type: AC100-240V Total input/output po	8	FX3U-64MR/ES-A	\$374.99	\$1,122.86
Mitsubishi Electric/三菱电机	Expansion version type: Analog signal board Expansion I/O poi	8	FX3G-1DA-BD	\$74.68	\$210.00
Mitsubishi Electric/三菱电机	Digital Expansion Type: Output Module Digital Output Points: D	8	FX5-8EYR/ES	\$68.56	\$175.71
Mitsubishi Electric/三菱电机	Attachment type: Electrical accessories Product type: Main circ	8	UT-SD20	\$5.25	\$11.16
Mitsubishi Electric/三菱电机	Control coil type: AC Control coil Voltage: 100VAC Number of	8	S-T12 AC100V 1A1B C VL	\$9.56	\$20.43
Mitsubishi Electric/三菱电机	-	8	YS-208NAA 5A 0-30-90A 30/5A BR	\$33.24	\$33.43
Mitsubishi Electric/三菱电机	Control coil type: DC Control coil Voltage: 48VDC Number of p	7	SD-T21 DC48V 2A2B	\$34.57	\$73.86
Mitsubishi Electric/三菱电机	Number of poles: 3P. Rack current: 125A. Rated current: 63A. L	7	NV125-CV 3P 63A 100-440V 30MA CE	\$97.43	\$220.14
Mitsubishi Electric/三菱电机	Number of poles: 3P. Rack current: 63A. Rated current: 20A. Br	7	NF63-CV 3P 20A	\$30.97	\$67.86
Mitsubishi Electric/三菱电机	Product type: Direct rotating handle	7	F-2SV LF DF	\$35.27	\$75.00

Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 125A. Rated current: 75A. B	7	NF125-SV 3P 75A	\$70.13	\$149.14
Mitsubishi Electric/三菱电	Number of poles: 3P. Rack current: 125A. Rated current: 100A.	7	NF125-SV 3P 100A	\$68.07	\$149.14
Mitsubishi Electric/三菱电	Digital Expansion Type: Input Module Digital Input Points: DI 16	7	FX5-16ET/ES	\$136.32	\$350.00
Mitsubishi Electric/三菱电	Product type: Electric heating shell frame Rated current: 25A Se	6	TH-T25KP 5A C	\$12.70	\$27.14
Mitsubishi Electric/三菱电	Product type: Terminal cover	6	TTC-05SV3	\$7.76	\$17.00
Mitsubishi Electric/三菱电	-	6	FX3U-4AD-TC-ADP	\$181.37	\$510.00
Mitsubishi Electric/三菱电	Analog extension type: Output module Analog output channels	6	FX5-4DA	\$244.99	\$628.57
Mitsubishi Electric/三菱电	Analog Expansion Type: Output Module Analog Output Chann	6	FX3U-4DA	\$208.44	\$585.71
Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 63A. Rated current: 50A. Leakag	6	NV63-CV 3P 50A 100-440V 1.2.500MA CE	\$67.39	\$144.00
Mitsubishi Electric/三菱电	Product Type: Handle Lock Device	6	HLF-05SV	\$2.71	\$5.75
Mitsubishi Electric/三菱电	-	6	CP30-BA 1P 1-M 5A A	\$13.17	\$28.00
Mitsubishi Electric/三菱电	Power supply voltage type: AC100-240V Total input/output po	6	FX3GA-60MT-CM	\$258.22	\$772.86
Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 160A. Rated current: 125A. Brea	6	NF160-SXV 3P 125A	\$80.27	\$170.71
Mitsubishi Electric/三菱电	Control type: toggle control frame Current: 32A Setting current	6	MMP-T32LF 13A	\$26.97	\$44.14
Mitsubishi Electric/三菱电	Number of poles: 3P Rack current: 30A Rated current: 30A Brea	6	NF30-FAU 3P 30A	\$32.19	\$61.14
Mitsubishi Electric/三菱电	Power Supply Voltage Type: AC100-240V Input/Output Total P	6	FX3SA-14MT-CM	\$102.54	\$307.14
Mitsubishi Electric/三菱电	Control coil type: AC Control coil Voltage: 200VAC Number of j	6	S-N400 AC200V 2A2B	\$350.44	\$745.29
Mitsubishi Electric/三菱电	Number of poles: 1P Rated current: 4A Tripping characteristics:	5	BH-D10 1P 4A TYPE C N (CH)	\$6.20	\$7.57
Mitsubishi Electric/三菱电	Pole number: 3P. Rack current: 125A. Rated current: 125A. Leak	5	NV125-CV 3P 125A 100-440V 1.2.500MA CE	\$103.52	\$220.14
Mitsubishi Electric/三菱电	Pole number: 3P, shell frame current: 63A, rated current: 63A, b	5	NF63-SV 3P 63A	\$33.84	\$74.14
Mitsubishi Electric/三菱电	Number of poles: 2P. Rack current: 32A. Rated current: 5A. Brea	5	NF32-SV 2P 5A	\$23.31	\$49.57
Mitsubishi Electric/三菱电	Number of poles: 2P Rack current: 63A Rated current: 32A Leak	5	NV63-CV 2P 32A 100-240V 30MA CE	\$64.89	\$138.00
Mitsubishi Electric/三菱电	Number of poles: 2P Rated current: 2A Tripping characteristics:	5	BH-D6 2P 2A TYPE C N (CH)	\$13.06	\$15.94
Mitsubishi Electric/三菱电	Control coil type: DC Control coil Voltage: 48VDC Number of p	5	SD-T35 DC48V 2A2B	\$43.46	\$92.43
Mitsubishi Electric/三菱电	-	4	S-N600AB AC100V 2A2B	\$937.00	\$1,992.71
Mitsubishi Electric/三菱电	-	4	FX5S-60MT/ES-A	\$238.07	\$585.29
Mitsubishi Electric/三菱电	Power Supply Voltage Type: AC100-240V Input/Output Total P	4	FX3U-64MT/ES-A	\$383.09	\$1,147.14
Mitsubishi Electric/三菱电	-	4	FX3U-4AD-PT-ADP	\$181.37	\$510.00
Mitsubishi Electric/三菱电	Power supply voltage type: AC100-240V Total input/output po	4	FX5U-32MT/ES	\$385.06	\$1,020.00
Mitsubishi Electric/三菱电	-	4	FX5-CNV-BC	\$26.08	\$67.00

Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 160A. Rated current: 125A.	4	NFC160-CMXA 3P 125A	\$65.20	\$107.14
Mitsubishi Electric/三菱電	Pole number: 3P, shell frame current: 60A, rated current: 40A, b	4	NFC60-SMXA 3P 40A	\$25.65	\$42.14
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 250A. Rated current: 150A.	4	NV250-CV 3P 150A 100-440V 30MA CE	\$185.05	\$418.14
Mitsubishi Electric/三菱電	Power Supply Voltage Type: AC100-240V Input/Output Total P	4	FX3U-16MT/ES-A	\$253.28	\$758.57
Mitsubishi Electric/三菱電	-	4	CP30-BA 3P 1-M 20A A	\$45.21	\$96.14
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 63A. Rated current: 40A. Le	4	NV63-CV 3P 40A 100-440V 1.2.500MA CE	\$67.71	\$144.00
Mitsubishi Electric/三菱電	Number of poles: 2P Rack current: 63A Rated current: 16A Leak	4	NV63-CV 2P 16A 100-240V 30MA CE	\$61.07	\$138.00
Mitsubishi Electric/三菱電	Number of poles: 2P Rated current: 25A Tripping characteristic	4	BH-D10 2P 25A TYPE C DC N (CH)	\$12.98	\$15.91
Mitsubishi Electric/三菱電	Number of poles: 2P Rated current: 25A Tripping characteristic	4	BH-D10 2P 25A TYPE C N (CH)	\$9.98	\$12.23
Mitsubishi Electric/三菱電	Number of poles: 3P. Rack current: 250A. Rated current: 225A.	4	NF250-CV 3P 225A	\$113.05	\$240.43
Mitsubishi Electric/三菱電	Pole number: 3P. Rack current: 125A. Rated current: 125A. Brea	4	NF125-HGV 3P 90-125A	\$153.36	\$326.14
Mitsubishi Electric/三菱電	Expansion version type: Function expansion board	3	FX3G-CNV-ADP	\$24.90	\$70.00
Mitsubishi Electric/三菱電	Digital Expansion Type: Input/Output Module Digital Input Poir	3	FX2N-32ER	\$194.61	\$547.14
Mitsubishi Electric/三菱電	Digital Expansion Type: Output Module Digital Output Points: D	3	FX5-16EYR/ES	\$95.23	\$244.29
Mitsubishi Electric/三菱電	-	3	FX3G-24MR/ES	\$262.77	\$624.29
Mitsubishi Electric/三菱電	Power Supply Voltage Type: AC100-240V Input/Output Total P	3	FX3U-32MT/ES-A	\$316.31	\$947.14
Mitsubishi Electric/三菱電	Power supply voltage type: AC100-240V Total input/output po	3	FX3SA-14MR-CM	\$100.17	\$300.00
Mitsubishi Electric/三菱電	Digital Expansion Type: Input/Output Module Digital Input Poir	3	FX2N-32ET	\$194.61	\$547.14
Mitsubishi Electric/三菱電	Power Supply Voltage Type: AC100-240V Input/Output Total P	3	FX3SA-10MT-CM	\$87.72	\$262.86
Mitsubishi Electric/三菱電	Power Supply Voltage Type: AC100-240V Input/Output Total P	3	FX5U-80MR/ES	#VALUE!	\$1,351.43
Mitsubishi Electric/三菱電	Digital expansion type: output module	3	FX3U-1PG	\$271.46	\$762.86
Mitsubishi Electric/三菱電	Power supply voltage type: AC100-240V Total input/output po	2	FX3U-128MR/ES-A	\$604.56	\$1,810.00
Mitsubishi Electric/三菱電	-	2	FX5-4AD-PT-ADP	\$218.91	\$561.43
Mitsubishi Electric/三菱電	Attachment type: Electrical accessories Product type: Coil	2	UA-PC AC100V	\$91.97	\$206.86
Mitsubishi Electric/三菱電	Digital Expansion Type: Input/Output Module Digital Input Poir	1	FX2N-8ER	\$56.90	\$160.00
Mitsubishi Electric/三菱電	Digital Expansion Type: Input/Output Module Digital Input Poir	1	FX2N-48ER	\$266.92	\$750.00
Mitsubishi Electric/三菱電	Digital Expansion Type: Output Module Digital Output Points: D	1	FX5-16EYT/ES	\$95.23	\$244.29
Mitsubishi Electric/三菱電	Digital Expansion Type: Input/Output Module Digital Input Poir	1	FX5-32ET/ES	\$234.32	\$601.43
Mitsubishi Electric/三菱電	Power supply voltage type: AC100-240V Total input/output po	1	FX3U-32MR/ES-A	\$309.59	\$927.14
Mitsubishi Electric/三菱電	Expansion version type: Communication expansion board Com	1	FX5-485-BD	\$35.17	\$90.29

Mitsubishi Electric/三菱电	-	1	FX5-4AD-TC-ADP	\$218.91	\$561.43
Mitsubishi Electric/三菱电	Power supply voltage type: DC24V	1	FX3U-8AV-BD	\$30.03	\$71.97