



Autonics Stocks 202510

Brand Introduction

Webstie: <http://www.autonicschina.cn>

About Autonics Autonics offers solutions that streamline industrial processes through automation, providing technical expertise and innovative customer value to make the world more convenient. Our primary research and development products include: photoelectric sensors, fiber optic sensors, displacement sensors, ultrasonic sensors, door sensors, light curtains, proximity switches, linear position sensors, and rotary encoders.

Autonics's In-Stock Distributor Contact:

Manager: Paul Zhou

Tell: +8613871500835

Whatsapp/Wecha +8613871500835

Webstie: <https://www.ldcontact.com>

Email: Sales@ldcontact.com

About Us

Welcome to LD Mro Mall Autonics In-Stock Inventory Center. As a Autonics inventory partner, Our inventory covers:photoelectric sensors, fiber optic sensors, displacement sensors, ultrasonic sensors, door sensors, light curtains, proximity switches, linear position sensors, and rotary encoders.. and we regularly replenish our stock



Brand	Type	Detail	Model	Inventory	Discounted Price	Market Price
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-4DN	16101	\$7.09	\$20.29
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-8DN	9331	\$7.09	\$20.29
Autonics/奥托尼克斯	PSE Inductive Proximity Sensor	-	PSE17-5DN	2796	\$2.95	\$8.29
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR08-1.5DP	2357	\$7.90	\$23.14
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR08-2DN	2181	\$8.51	\$23.14
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	-	BS5-R1M	1937	\$4.74	\$15.43
Autonics/奥托尼克斯	PRE Inductive Proximity Sensor	-	PRE12-4DN	1917	\$5.31	\$7.50
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-8DN	1847	\$7.89	\$21.43
Autonics/奥托尼克斯	BR diffuse reflection photoelectric sensor (cylindrical)	plating Detection distance: 100mm Output type: NPN	BR100-DDT	1695	\$12.70	\$19.00
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	Detection distance: 5mm Output type: NPN Action	BS5-T1M	1685	\$6.32	\$11.43

Autonics/奥托尼克斯	CR capacitive cylindrical proximity switch	Thread Shell Material: PA Dimensions: M18	CR18-8DN	1387	\$10.53	\$15.64
Autonics/奥托尼克斯	TC Economy Single Display PID Temperature Controller	-	TC4S-14R	1162	\$15.81	\$43.71
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-5DN	1117	\$8.08	\$9.31
Autonics/奥托尼克斯	PRE Inductive Proximity Sensor	-	PRE18-8DN	1064	\$5.31	\$31.83
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT12-2DO	1052	\$8.50	\$20.29
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-8DP	914	\$8.19	\$9.31
Autonics/奥托尼克斯	TCN Economic Dual Display PID Temperature Controller	-	TCN4S-24R	873	\$17.59	\$23.73
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT18-8DO	859	\$7.93	\$20.29
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-4DN2	789	\$7.85	\$20.29
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-2DN	759	\$7.97	\$20.29
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-8DN	729	\$5.14	\$12.57
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	Detection Distance: 5mm Output Type: NPN Action	BS5-Y2M	726	\$4.47	\$10.57
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-8DP	725	\$8.23	\$21.43
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-4DP	718	\$7.77	\$20.29
Autonics/奥托尼克斯	CT series terminal block	-	CT-01	701	\$0.49	\$0.86
Autonics/奥托尼克斯	CR capacitive cylindrical proximity switch	Thread Shell Material: PA Dimensions: M18	CR18-8DP	697	\$12.87	\$15.64
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-2DP	696	\$6.92	\$20.29
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-15DP	696	\$8.86	\$23.43
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR08-1.5DN	681	\$8.27	\$20.00
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD18-14DN	670	\$8.71	\$23.14
Autonics/奥托尼克斯	BF4 high-performance single/dual digital display fiber amplifier	resistant ABS Output Type: NPN Action Mode: NO or	BF4R	632	\$20.32	\$52.00
Autonics/奥托尼克斯	BR diffuse reflection photoelectric sensor (cylindrical)	plating Detection distance: 400mm Output type: NPN	BR400-DDT	630	\$15.37	\$48.00
Autonics/奥托尼克斯	CR capacitive cylindrical proximity switch	Thread Shell Material: Brass Nickel Plating	CR30-15DN	624	\$13.04	\$41.14
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	Detection Distance: 5mm Output Type: NPN Action	BS5-K2M	622	\$3.95	\$10.57
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	resistant ABS Testing Distance: 5mm Wiring	PSNT17-5DO	612	\$5.14	\$20.00

Autonics/奥托尼克斯	PRE Inductive Proximity Sensor	-	PRE12-4DP	580	\$5.73	\$7.50
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	resistant ABS Detection Distance: 15mm Output	PSN30-15DN	564	\$7.79	\$10.16
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN30-15DP	554	\$8.44	\$43.11
Autonics/奥托尼克斯	BM diffuse reflection photoelectric sensor (built-in amplifier)	Detection Distance: 200mm Output Type: NPN	BM200-DDT	550	\$13.99	\$32.57
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT08-1.5DO	546	\$9.37	\$23.14
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	Detection Distance: 5mm Output Type: NPN Action	BS5-T2M	537	\$4.47	\$10.57
Autonics/奥托尼克斯	TC Economy Single Display PID Temperature Controller	-	TC4M-14R	529	\$19.70	\$14,285.57
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL12-4DP	520	\$8.41	\$21.43
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDL18-14DN	518	\$9.48	\$23.14
Autonics/奥托尼克斯	D1SA LED digital display meter	-	D1SA-RN	510	\$14.57	\$29.14
Autonics/奥托尼克斯	BFXLCD display type digital fiber amplifier	Output Type: NPN Action Mode: NO or NC Power	BFX-D1-N	507	\$17.14	\$76.53
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	Detection distance: 5mm Output type: NPN Action	BS5-Y1M	504	\$4.74	\$11.43
Autonics/奥托尼克斯	BR diffuse reflection photoelectric sensor (cylindrical)	plating Detection distance: 100mm Output type: PNP	BR100-DDT-P	500	\$14.73	\$62.57
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT12-4DC	464	\$8.30	\$34.57
Autonics/奥托尼克斯	PRE Inductive Proximity Sensor	-	PRE12-2DN	464	\$5.63	\$12.86
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD12-8DN	461	\$8.61	\$23.14
Autonics/奥托尼克斯	BA long-distance diffuse reflection photoelectric sensor	Detection Distance: 2000mm Output Type:	BA2M-DDT	450	\$20.86	\$63.43
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 120mm	FD-620-10	430	\$7.90	\$21.14
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD12-4DP	424	\$9.15	\$23.14
Autonics/奥托尼克斯	BS5 type photoelectric sensor	-	BS5-V2M	417	\$4.54	\$20.56
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	-	PSN17-8DN2U	396	\$5.72	\$18.00
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM18-5DP	390	\$9.41	\$21.43
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD12-4DN	379	\$8.52	\$23.14
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT18-5DO	375	\$8.37	\$20.29
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	Detection Distance: 5mm Output Type: NPN Action	BS5-L2M	375	\$3.95	\$10.57

Autonics/奥托尼克斯	PSE Inductive Proximity Sensor	-	PSE17-5DN2	372	\$3.59	\$14.59
Autonics/奥托尼克斯	FT fiber optic induction head	Detection distance: 500mm	FT-420-10	369	\$9.09	\$24.29
Autonics/奥托尼克斯	BR diffuse reflection photoelectric sensor (cylindrical)	plating Detection distance: 400mm Output type: PNP	BR400-DDT-P	361	\$17.78	\$82.00
Autonics/奥托尼克斯	FT fiber optic induction head	Detection distance: 150mm	FT-320-05	361	\$12.25	\$31.14
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	Detection distance: 5mm Output type: NPN Action	BS5-K1M	355	\$4.94	\$11.43
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	-	PRD08-2DN	346	\$12.91	\$47.14
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT18-8DC	340	\$8.37	\$39.79
Autonics/奥托尼克斯	ATN multifunctional analog timer	-	AT8N	338	\$13.04	\$24.29
Autonics/奥托尼克斯	BYD diffuse reflection photoelectric sensor	30mm Output type: NPN Power supply voltage:	BYD30-DDT	334	\$13.83	\$41.43
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD30-25DN	334	\$10.83	\$26.57
Autonics/奥托尼克斯	TX LCD displays PID temperature controller	-	TX4S-B4S	331	\$25.68	\$14,285.57
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-1000-3-T-24	329	\$46.97	\$120.29
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR08-1.5DN2	326	\$9.82	\$23.14
Autonics/奥托尼克斯	BUP U-shaped photoelectric sensor	detection distance: 50mm output type: NPN action	BUP-50	325	\$22.32	\$53.43
Autonics/奥托尼克斯	PSE Inductive Proximity Sensor	-	PSE17-5DP2	320	\$3.07	\$20.56
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT12-4DO	319	\$7.93	\$20.29
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 40mm	FD-320-05	319	\$10.27	\$27.43
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-15DN	318	\$8.89	\$23.43
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN40-20DP	313	\$11.85	\$56.37
Autonics/奥托尼克斯	PRE Inductive Proximity Sensor	-	PRE18-5DN	313	\$5.63	\$6.00
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT12-2DC	312	\$8.89	\$39.79
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-5DN2	298	\$5.34	\$12.57
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCMT18-8DO	298	\$9.91	\$21.43
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDT18-7DO	298	\$10.04	\$44.00
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT30-15DO	296	\$8.85	\$21.43

Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN40-20DN	293	\$11.46	\$29.14
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	Material: Heat resistant ABS Detection distance:	PS12-4DP	286	\$9.88	\$43.11
Autonics/奥托尼克斯	BJ diffuse reflection photoelectric sensor	Detection Distance: 100mm Output Type: NPN	BJ100-DDT	286	\$14.05	\$38.86
Autonics/奥托尼克斯	BX type photoelectric sensor (terminal type)	-	BX15M-TFR	282	\$22.06	\$50.86
Autonics/奥托尼克斯	BJ type photoelectric sensor	Action mode: NO or NC Output type: NPN Power	BJ15M-TDT	281	\$17.99	\$49.43
Autonics/奥托尼克斯	BM type photoelectric sensor (built-in amplifier)	Action mode: NC Output type: NPN Power supply	BM3M-TDT1,2	280	\$13.83	\$63.67
Autonics/奥托尼克斯	TC Economy Single Display PID Temperature Controller	-	TC4S-24R	278	\$16.20	\$45.43
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL12-4DP2	269	\$9.48	\$21.43
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT18-5DC	268	\$8.81	\$20.29
Autonics/奥托尼克斯	BS5 type photoelectric sensor	Action mode: NO or NC Output type: PNP Power	BS5-T2M-P	264	\$4.60	\$14,285.57
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD18-7DN2	262	\$10.67	\$47.75
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-8DP	255	\$5.11	\$12.57
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	resistant ABS Detection Distance: 4mm Output	PS12-4DN	254	\$9.68	\$33.43
Autonics/奥托尼克斯	BEN mirror reflection photoelectric sensor	material: Heat resistant ABS Detection distance:	BEN5M-MDT	252	\$15.56	\$38.57
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD12-8DP	250	\$9.15	\$23.14
Autonics/奥托尼克斯	MP5W High Performance Digital Pulse Meter	-	MP5W-4N	248	\$49.75	\$111.71
Autonics/奥托尼克斯	BEN mirror reflective photoelectric sensor (with built-in reflector and bracket)	material: heat-resistant ABS detection distance:	BEN5M-MFR	247	\$14.80	\$38.57
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	Material: Heat resistant ABS Detection distance:	PS50-30DP	247	\$17.29	\$43.71
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	resistant ABS Detection Distance: 5mm Output	PSN17-5DN	246	\$5.04	\$12.57
Autonics/奥托尼克斯	BY photoelectric sensor (compact amplifier built-in type)	-	BYS500-TDT	244	\$18.18	\$41.43
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-5AO	241	\$10.78	\$24.00
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL08-1.5DN	238	\$12.84	\$30.00
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	Detection distance: 5mm Output type: NPN Action	BS5-L1M	237	\$4.79	\$11.43
Autonics/奥托尼克斯	TC Economy Single Display PID Temperature Controller	-	TC4SP-14R	235	\$18.57	\$14,285.57
Autonics/奥托尼克斯	PRE Inductive Proximity Sensor	-	PRE18-8DP	234	\$5.73	\$7.50

Autonics/奥托尼克斯	PRS cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRS12-4DP	234	\$9.88	\$41.78
Autonics/奥托尼克斯	TX LCD displays PID temperature controller	-	TX4S-14S	234	\$20.34	\$23.00
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT08-2DO	233	\$9.15	\$23.14
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	resistant ABS Detection Distance: 30mm Output	PS50-30DN	231	\$17.96	\$43.71
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDL12-8DN	230	\$10.76	\$24.57
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-8DN2	229	\$4.95	\$25.20
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR08-2DP	226	\$9.82	\$23.14
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-5DN	222	\$9.30	\$21.43
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-2DN2	221	\$9.04	\$20.29
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR08-2DN2	221	\$9.09	\$44.64
Autonics/奥托尼克斯	Photoelectric/Proximity Sensor Connector Cable Series Connection Cables	-	CID3-2	220	\$2.96	\$4.86
Autonics/奥托尼克斯	BR type photoelectric sensor (cylindrical)	Action mode: NC Output type: NPN Power supply	BR4M-TDTD	219	\$21.02	\$82.00
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-5DP	218	\$8.37	\$20.29
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-8DP2	217	\$8.59	\$34.57
Autonics/奥托尼克斯	PFI Square Flat Inductive Proximity Switch	Detection Distance: 8mm Output Type: NPN Wiring	PFI25-8DN	216	\$10.51	\$37.14
Autonics/奥托尼克斯	BEN type photoelectric sensor	-	BEN10M-TDT	216	\$18.92	\$45.14
Autonics/奥托尼克斯	BJ diffuse reflection photoelectric sensor	Detection Distance: 300mm Output Type: PNP	BJ300-DDT-P	211	\$16.06	\$38.86
Autonics/奥托尼克斯	TX LCD displays PID temperature controller	-	TX4S-14R	207	\$20.87	\$49.14
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL12-4DN	204	\$8.41	\$21.43
Autonics/奥托尼克斯	TCN Economic Dual Display PID Temperature Controller	-	TCN4L-24R	204	\$24.68	\$65.71
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-8DN2	204	\$8.59	\$20.29
Autonics/奥托尼克斯	AT8PSN/AT8PMN series analog timer	-	AT8PSN	202	\$16.79	\$48.86
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H12-300-3-N-24	200	\$46.43	\$211.57
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-8AO	198	\$10.02	\$24.00
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL08-1.5DP	198	\$12.84	\$30.00

Autonics/奥托尼克斯	AS80 long-distance detection type square proximity switch	Detection Distance: 50mm Output Type: PNP Wiring	AS80-50DP3	198	\$43.46	\$103.43
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD18-7DN	196	\$9.37	\$24.29
Autonics/奥托尼克斯	BF5 high-performance single/dual digital display fiber amplifier	type: NPN Action mode: NO or NC Power supply	BF5R-D1-N	196	\$41.53	\$92.86
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM18-8DN	196	\$9.91	\$21.43
Autonics/奥托尼克斯	BUP U-shaped photoelectric sensor	detection distance: 30mm output type: PNP action	BUP-30-P	195	\$13.44	\$51.14
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT08-1.5DC	195	\$10.08	\$45.10
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-600-3-N-24	194	\$42.84	\$99.71
Autonics/奥托尼克斯	TCN Economic Dual Display PID Temperature Controller	-	TCN4S-22R	193	\$21.34	\$14,285.57
Autonics/奥托尼克斯	BM mirror reflection photoelectric sensor (built-in amplifier)	material: ABS Detection distance: 1m Output type:	BM1M-MDT	193	\$13.83	\$32.57
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	-	PRDL30-25DP	193	\$11.72	\$14,285.57
Autonics/奥托尼克斯	BUP U-shaped photoelectric sensor	detection distance: 50mm output type: PNP action	BUP-50-P	191	\$22.32	\$53.43
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-5DNU	182	\$5.17	\$25.20
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-1000-3-T-24	180	\$35.55	\$99.71
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-600-3-T-24	179	\$35.88	\$92.86
Autonics/奥托尼克斯	BRQ diffuse reflection photoelectric sensor	-	BRQP100-DDTB	177	\$11.05	\$12.11
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-8DP2	176	\$9.30	\$41.78
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	-	PRL12-2DN	176	\$9.08	\$41.78
Autonics/奥托尼克斯	TA simulation non indicative PID temperature controller	-	TAS-B4RP4C	176	\$14.65	\$30.57
Autonics/奥托尼克斯	BX mirror reflective photoelectric sensor (terminal type)	Material: PC Detection Distance: 5m Output Type:	BX5M-MFR	173	\$19.18	\$45.14
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-8AC	172	\$10.07	\$24.00
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT4S-1P4	171	\$35.14	\$85.14
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4S-14RN	168	\$36.55	\$85.14
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-5DP	167	\$5.32	\$12.57
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL30-15DP	166	\$10.93	\$26.00
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-5AO	165	\$10.33	\$24.00

Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDT12-8DO	162	\$11.11	\$48.41
Autonics/奥托尼克斯	TCN Economic Dual Display PID Temperature Controller	-	TCN4M-24R	162	\$22.23	\$14,285.57
Autonics/奥托尼克斯	BEN diffuse reflection photoelectric sensor	-	BEN500-DDT	161	\$16.40	\$38.57
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-5DP2	160	\$9.40	\$14,285.57
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-2500-3-T-24	159	\$39.41	\$14,285.57
Autonics/奥托尼克斯	TX LCD displays PID temperature controller	-	TX4S-24R	158	\$23.29	\$14,285.57
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-4DP2	156	\$8.76	\$20.29
Autonics/奥托尼克斯	TX LCD displays PID temperature controller	-	TX4S-24S	155	\$23.29	\$14,285.57
Autonics/奥托尼克斯	AS80 long-distance detection type square proximity switch	Detection Distance: 50mm Output Type: NPN Wiring	AS80-50DN3	154	\$43.23	\$103.43
Autonics/奥托尼克斯	LA8N Compact LCD Counter	-	LA8N-BN	154	\$19.74	\$46.57
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM12-4DP	152	\$9.08	\$21.43
Autonics/奥托尼克斯	BJ type photoelectric sensor	-	BJ7M-TDT	151	\$16.80	\$46.57
Autonics/奥托尼克斯	PRW cylindrical induction proximity switch (wiring lead out plug-in type)	Thread Shell Material: Brass Nickel Plating	PRW18-5DP	150	\$10.47	\$45.76
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-360-3-T-24	147	\$39.87	\$92.86
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	resistant ABS Detection Distance: 8mm Output	PSN17-8DNU	147	\$5.40	\$20.00
Autonics/奥托尼克斯	BS5 type photoelectric sensor (slot type)	-	BS5-Y1M-P	145	\$5.07	\$4.91
Autonics/奥托尼克斯	BJ diffuse reflection photoelectric sensor	Detection Distance: 300mm Output Type: NPN	BJ300-DDT	144	\$14.23	\$38.86
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCMT12-4DO	142	\$9.23	\$21.43
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-15DP2	141	\$10.77	\$45.76
Autonics/奥托尼克斯	BYD diffuse reflection photoelectric sensor	100mm Output type: NPN Power supply voltage:	BYD100-DDT	140	\$13.56	\$67.14
Autonics/奥托尼克斯	BMS mirror reflection photoelectric sensor	material: ABS Detection distance: 2m Output type:	BMS2M-MDT	139	\$22.04	\$48.29
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL08-2DN	138	\$12.84	\$30.00
Autonics/奥托尼克斯	TA simulation non indicative PID temperature controller	-	TAS-B4RK2C	138	\$14.65	\$14,285.57
Autonics/奥托尼克斯	PSE Inductive Proximity Sensor	-	PSE17-5DP	136	\$3.18	\$14.59
Autonics/奥托尼克斯	BPS reflective photoelectric sensor (built-in amplifier)	Action mode: NC Output type: NPN Power supply	BPS3M-TDT	136	\$27.63	\$61.14

Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-200-3-T-24	135	\$36.59	\$165.14
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT6S-1P4	135	\$35.34	\$90.29
Autonics/奥托尼克斯	BF3 high-performance single/dual digital display fiber amplifier	type: NPN Action mode: NO or NC Power supply	BF3RX	134	\$13.95	\$36.29
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM30-15DN	134	\$12.09	\$44.57
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-8DN2	130	\$8.63	\$21.43
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	Material: Heat resistant ABS Detection distance:	PSNT17-5DC	130	\$5.32	\$25.20
Autonics/奥托尼克斯	LE8N series digital timer	-	LE8N-BN	127	\$22.30	\$46.57
Autonics/奥托尼克斯	PRW cylindrical induction proximity switch (wiring lead out plug-in type)	Thread Shell Material: Brass Nickel Plating	PRWT08-1.5DO	127	\$11.00	\$25.14
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-10DN	126	\$9.83	\$23.43
Autonics/奥托尼克斯	CR capacitive cylindrical proximity switch	Thread Shell Material: PA Dimensions: M18	CR18-8AC	124	\$16.62	\$73.62
Autonics/奥托尼克斯	BTF type photoelectric sensor (ultra-thin type)	Action mode: NC Output type: NPN Power supply	BTF1M-TDTD	123	\$34.39	\$117.39
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM18-5DP2	123	\$9.88	\$21.43
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL08-1.5DP2	121	\$13.83	\$30.00
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDT12-8DC	121	\$11.90	\$48.41
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD30-15DP	121	\$11.95	\$51.73
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-15AO	118	\$11.27	\$26.00
Autonics/奥托尼克斯	TX LCD displays PID temperature controller	-	TX4S-B4C	118	\$34.56	\$35.60
Autonics/奥托尼克斯	BF4 high-performance single/dual digital display fiber amplifier	resistant ABS Output Type: PNP Action Mode: NO or	BF4RP	117	\$20.32	\$52.00
Autonics/奥托尼克斯	BJ type photoelectric sensor	Action mode: NO or NC Output type: PNP Power	BJ15M-TDT-P	117	\$18.65	\$96.17
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL08-2DP	117	\$12.84	\$59.03
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM12-2DP	115	\$9.77	\$21.43
Autonics/奥托尼克斯	BJ type photoelectric sensor	Action mode: NO or NC Output type: NPN Power	BJ10M-TDT	114	\$15.81	\$46.57
Autonics/奥托尼克斯	CR capacitive cylindrical proximity switch	Thread Shell Material: PA Dimensions: M18	CR18-8DN2	114	\$13.58	\$66.32
Autonics/奥托尼克斯	BF4 high-performance single/dual digital display fiber amplifier	resistant ABS Output Type: NPN Action Mode: NO or	BF4R-R	114	\$22.55	\$80.00
Autonics/奥托尼克斯	CR capacitive cylindrical proximity switch	Thread Shell Material: Brass Nickel Plating	CR30-15DN2	114	\$17.15	\$41.14

Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-360-3-T-24	114	\$33.58	\$85.14
Autonics/奥托尼克斯	BJ diffuse reflection photoelectric sensor	1000mm Output type: NPN Power supply	BJ1M-DDT	113	\$17.10	\$41.43
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD12-4DN2	113	\$11.73	\$50.41
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT6S-2P4	111	\$44.92	\$159.86
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 40mm	FD-420-05	111	\$10.71	\$30.00
Autonics/奥托尼克斯	BEN diffuse reflection photoelectric sensor	resistant ABS Detection Distance: 300mm Output	BEN300-DFR	110	\$15.78	\$38.57
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDT18-14DO	110	\$9.82	\$36.03
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-8AO	109	\$10.29	\$40.86
Autonics/奥托尼克斯	PRW cylindrical induction proximity switch (wiring lead out plug-in type)	Thread Shell Material: Brass Nickel Plating	PRW08-1.5DN	109	\$11.59	\$25.14
Autonics/奥托尼克斯	BEN diffuse reflection photoelectric sensor	-	BEN500-DFR	108	\$15.56	\$38.57
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCML18-8DN	108	\$11.09	\$47.09
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-100-3-T-24	107	\$34.49	\$85.14
Autonics/奥托尼克斯	PG series controller socket	connection type: Screw terminal Contact type:	PG-08	107	\$0.92	\$1.43
Autonics/奥托尼克斯	BX mirror reflective photoelectric sensor (terminal type)	Material: PC Detection Distance: 5m Output Type:	BX5M-MDT	107	\$22.32	\$45.14
Autonics/奥托尼克斯	MS series reflective lenses	-	MS-2	107	\$2.96	\$4.86
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM18-5DN	106	\$9.23	\$21.43
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-100-3-T-24	106	\$36.99	\$92.86
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN25-5DN	106	\$8.17	\$35.81
Autonics/奥托尼克斯	BR type photoelectric sensor (cylindrical type)	Action mode: NO Output type: PNP Power supply	BR20M-TDTL-P	105	\$22.14	\$105.22
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCMT12-4DC	105	\$9.23	\$41.78
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H8-1024-3-T-24	105	\$47.02	\$152.57
Autonics/奥托尼克斯	BUP U-shaped photoelectric sensor	detection distance: 30mm output type: PNP action	BUP-30S-P	104	\$24.96	\$73.54
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-2AO	104	\$11.09	\$24.00
Autonics/奥托尼克斯	CT series plug	-	CT-02	104	\$4.32	\$5.43
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-1024-3-T-24	103	\$41.36	\$156.57

Autonics/奥托尼克斯	BRP diffuse reflection photoelectric sensor (cylindrical)	-	BRP400-DDT	103	\$17.86	\$46.29
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-2500-6-L-5	102	\$52.22	\$121.71
Autonics/奥托尼克斯	Photoelectric/Proximity Sensor Connector Cable Series Connection Cables	-	CLD2-5	102	\$4.86	\$8.29
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDL30-25DN	102	\$11.95	\$51.73
Autonics/奥托尼克斯	BJX diffuse reflection photoelectric sensor	300mm Output type: NPN Power supply voltage:	BJX300-DDT	102	\$14.71	\$70.97
Autonics/奥托尼克斯	BYD series compact reflector photoelectric sensor	-	BYD50-DDT	102	\$15.53	\$41.43
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	Material: Heat resistant ABS Detection distance:	PSNT17-5DOU	101	\$5.72	\$25.20
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-3600-3-T-24	100	\$53.13	\$254.68
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-2DP2	100	\$8.69	\$20.29
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL30-10DP	100	\$11.85	\$26.00
Autonics/奥托尼克斯	TA simulation non indicative PID temperature controller	-	TAS-B4RK4C	100	\$13.62	\$50.14
Autonics/奥托尼克斯	BA long-distance diffuse reflection photoelectric sensor	Detection Distance: 2000mm Output Type:	BA2M-DDT-P	100	\$24.89	\$63.43
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-5DP2	100	\$5.72	\$12.57
Autonics/奥托尼克斯	BS5 type photoelectric sensor	Action mode: NO or NC Output type: PNP Power	BS5-K1M-P	100	\$6.93	\$22.55
Autonics/奥托尼克斯	Photoelectric/Proximity Sensor Connector Cable Series Connection Cables	-	CID3-5	100	\$4.94	\$8.29
Autonics/奥托尼克斯	BX mirror reflective photoelectric sensor (terminal type)	-	BX3M-PFR	100	\$20.34	\$14,285.57
Autonics/奥托尼克斯	PRW cylindrical induction proximity switch (wiring lead out plug-in type)	Thread Shell Material: Brass Nickel Plating	PRW18-5DN	100	\$10.47	\$43.11
Autonics/奥托尼克斯	PRW cylindrical induction proximity switch (wiring lead out plug-in type)	Thread Shell Material: Brass Nickel Plating	PRWT18-8DO	100	\$10.87	\$14,285.57
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-5000-6-L-5	99	\$75.68	\$340.90
Autonics/奥托尼克斯	LA8N Compact LCD Counter	-	LA8N-BF	98	\$22.19	\$21.43
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-8DN-F	97	\$5.72	\$14,285.57
Autonics/奥托尼克斯	BUP U-shaped photoelectric sensor	detection distance: 30mm output type: NPN action	BUP-30S	97	\$17.90	\$56.00
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-1024-3-N-24	97	\$53.88	\$232.79
Autonics/奥托尼克斯	BRP diffuse reflection photoelectric sensor (cylindrical)	-	BRP100-DDT	96	\$12.22	\$38.86
Autonics/奥托尼克斯	BS5 type photoelectric sensor	Action mode: NO or NC Output type: PNP Power	BS5-T1M-P	96	\$4.90	\$22.55

Autonics/奥托尼克斯	MX4W LCD display digital voltmeter	-	MX4W-V-F1	96	\$27.89	\$25.71
Autonics/奥托尼克斯	BJ mirror reflective photoelectric sensor	material: PC detection distance: 3m output type:	BJ3M-PDT-P	95	\$16.76	\$46.57
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-3600-3-T-24	94	\$55.96	\$133.71
Autonics/奥托尼克斯	AT8PSN/AT8PMN series analog timer	200-240VAC Time range: 0.05s-10s Rated current:	AT8PMN	94	\$18.40	\$29.71
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4S-T4SN	94	\$43.94	\$14,285.57
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-8DPU	93	\$5.62	\$25.20
Autonics/奥托尼克斯	BR diffuse reflection photoelectric sensor (cylindrical type)	plating Detection distance: 200mm Output type: NPN	BR200-DDTN	92	\$24.55	\$112.09
Autonics/奥托尼克斯	BY photoelectric sensor (compact amplifier built-in type)	-	BY500-TDT	92	\$24.68	\$63.71
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4S-14CN	92	\$38.94	\$39.66
Autonics/奥托尼克斯	BR type photoelectric sensor (cylindrical type)	Action mode: NO Output type: NPN Power supply	BR20M-TDTL	92	\$21.02	\$103.31
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-5AC	92	\$11.09	\$14,285.57
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-360-3-N-24	91	\$36.60	\$165.14
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-5DP	91	\$9.23	\$37.14
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM12-4DN	90	\$9.30	\$21.43
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDT12-4DC	89	\$10.33	\$48.41
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-4AC	89	\$10.02	\$24.00
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCMT18-5DO	89	\$9.23	\$21.43
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4S-T4RN	89	\$47.58	\$14,285.57
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	-	PSN17-8DP2	88	\$5.40	\$18.00
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD30-25DP	88	\$11.08	\$51.73
Autonics/奥托尼克斯	TX LCD displays PID temperature controller	-	TX4S-A4S	88	\$26.67	\$14,285.57
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	-	PRDT08-4DO	88	\$20.97	\$19.95
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-15DN2	86	\$9.83	\$23.43
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Material: Heat resistant ABS Detection distance:	PRL18-5DN2	86	\$9.23	\$21.43
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Thread Shell Material: Brass Nickel Plating	PSN30-10DN	86	\$9.55	\$43.11

Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL30-15DN	85	\$10.93	\$26.00
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-5AC	85	\$11.09	\$24.00
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Detection Distance: 400mm Output Type: PNP	PRD18-7DP	84	\$9.37	\$45.10
Autonics/奥托尼克斯	BRP diffuse reflection photoelectric sensor (cylindrical type)	-	BRP400-DDT-P	84	\$16.30	\$14,285.57
Autonics/奥托尼克斯	MX4W LCD Display Digital Ammeter	detection distance: 30mm output type: NPN action	MX4W-A-FN	84	\$21.78	\$20.00
Autonics/奥托尼克斯	BUP U-shaped photoelectric sensor	-	BUP-30	83	\$13.44	\$51.14
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Shell material: polyamide Detection distance: 3m	PRL12-4DN2	82	\$9.91	\$21.43
Autonics/奥托尼克斯	BRP mirror reflection photoelectric sensor	Material: Plastic Detection distance: 8mm Output	BRP3M-MDT	81	\$24.55	\$112.09
Autonics/奥托尼克斯	PFI Square Flat Inductive Proximity Switch	-	PFI25-8DP	81	\$11.09	\$24.00
Autonics/奥托尼克斯	BS5 type photoelectric sensor	Material: Heat resistant ABS Detection distance:	BS5-L1M-P	80	\$4.94	\$22.55
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Thread Shell Material: Brass Detection Distance:	PSN40-20AO	80	\$18.57	\$79.59
Autonics/奥托尼克斯	PRA cylindrical splash proof proximity switch (wiring lead out type)	-	PRAT12-2DO	78	\$25.52	\$80.91
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-1000-3-N-24	77	\$42.84	\$99.71
Autonics/奥托尼克斯	BW series standard light curtain	Thread Shell Material: Brass Nickel Plating	BW20-12	77	\$112.60	\$14,285.57
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	-	PR08-2DP2	76	\$9.82	\$23.14
Autonics/奥托尼克斯	BRQ diffuse reflection photoelectric sensor	-	BRQP1M-DDTB	76	\$12.24	\$12.91
Autonics/奥托尼克斯	PRE Inductive Proximity Sensor	Action mode: NC Output type: NPN Power supply	PRE18-5DP	75	\$5.93	\$12.86
Autonics/奥托尼克斯	BR type photoelectric sensor (cylindrical)	700mm Power supply voltage: AC/DC24-240V	BR20M-TDTD	74	\$21.02	\$53.14
Autonics/奥托尼克斯	BX diffuse reflection photoelectric sensor (terminal type)	-	BX700-DFR	74	\$19.59	\$45.14
Autonics/奥托尼克斯	FXM series programmable digital counter	-	FX6M-2P4	74	\$85.00	\$301.29
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	Thread Shell Material: Brass Nickel Plating	E50S8-500-3-T-24	73	\$38.70	\$179.73
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDL12-8DP	73	\$10.76	\$48.41
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	-	PRL30-10DN	71	\$11.94	\$51.07
Autonics/奥托尼克斯	TCN Economic Dual Display PID Temperature Controller	-	TCN4H-24R	71	\$21.34	\$55.14
Autonics/奥托尼克斯	CT programmable digital counter/timer	Thread Shell Material: Brass Nickel Plating	CT6S-1P2	70	\$37.14	\$90.29

Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	-	PRDLT12-8DO	70	\$11.11	\$48.41
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	Output Type: PNP Action Mode: NO or NC Power	E40H12-1024-3-T-24	70	\$48.97	\$221.52
Autonics/奥托尼克斯	BFXLCD display type digital fiber amplifier	-	BFX-D1-P	69	\$17.14	\$39.43
Autonics/奥托尼克斯	LE8N LCD display timer	-	LE8N-BF	69	\$22.19	\$49.71
Autonics/奥托尼克斯	FXS series counter	Thread Shell Material: Brass Nickel Plating	FX4S-1P4	69	\$41.04	\$99.71
Autonics/奥托尼克斯	CR capacitive cylindrical proximity switch	Thread Shell Material: Brass Nickel Plating	CR30-15AO	69	\$18.49	\$84.89
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT08-2DC	69	\$10.26	\$23.14
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL30-15AC	69	\$12.76	\$28.29
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	type: PNP Action mode: NO or NC Power supply	PRCM12-2DN2	68	\$12.22	\$14,285.57
Autonics/奥托尼克斯	BF3 high-performance single/dual digital display fiber amplifier	-	BF3RX-P	68	\$15.47	\$36.29
Autonics/奥托尼克斯	CT programmable digital counter/timer	Material: Heat resistant ABS Detection distance:	CT6M-1P4	67	\$44.70	\$111.71
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	-	PSN17-5DN2U	67	\$5.48	\$1,428.43
Autonics/奥托尼克斯	TK high-performance PID temperature controller	300mm Output type: PNP Power supply voltage:	TK4S-14SN	67	\$36.20	\$85.14
Autonics/奥托尼克斯	BMS diffuse reflection photoelectric sensor	Action mode: NO or NC Output type: PNP Power	BMS300-DDT-P	66	\$22.04	\$48.29
Autonics/奥托尼克斯	BJ type photoelectric sensor	Product type: Phase sequence control	BJ10M-TDT-P	66	\$19.20	\$46.57
Autonics/奥托尼克斯	SPC1 Control Relay	Thread Shell Material: Brass Nickel Plating	SPC1-35-E	66	\$53.93	\$153.43
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-15AC	66	\$12.09	\$26.00
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDLT18-14DO	66	\$10.02	\$45.10
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Product type: Phase sequence control	PR12-2AC	66	\$13.66	\$47.09
Autonics/奥托尼克斯	SPC1 Control Relay	Detection Distance: 100mm Output Type: PNP	SPC1-50-E	66	\$72.86	\$57.53
Autonics/奥托尼克斯	BJ diffuse reflection photoelectric sensor	Thread Shell Material: Brass Nickel Plating	BJ100-DDT-P	65	\$14.05	\$38.86
Autonics/奥托尼克斯	PRW cylindrical induction proximity switch (wiring lead out plug-in type)	Thread Shell Material: Brass Nickel Plating	PRW12-4DP	63	\$10.25	\$43.11
Autonics/奥托尼克斯	PRDCM remote detection cylindrical proximity switch (plug-in type)	240VAC/DC Product type: Sensor controller	PRDCM18-14DN	63	\$12.05	\$54.38
Autonics/奥托尼克斯	PA10 series control relay	detection distance: 50mm output type: PNP action	PA10-U	63	\$43.29	\$113.14
Autonics/奥托尼克斯	BUP U-shaped photoelectric sensor	Thread Shell Material: Brass Nickel Plating	BUP-50S-P	62	\$26.93	\$58.57

Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR18-5DN2	62	\$8.81	\$20.29
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	-	PRL30-15AO	61	\$12.69	\$55.05
Autonics/奥托尼克斯	TX LCD displays PID temperature controller	-	TX4S-24C	61	\$24.68	\$47.46
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	plating Detection distance: 1000mm Wiring method:	E40S6-600-3-T-24	60	\$35.55	\$99.71
Autonics/奥托尼克斯	BRQ diffuse reflection photoelectric sensor	-	BRQM1M-DDTA	60	\$15.06	\$66.99
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT6Y-2P4	60	\$63.22	\$152.57
Autonics/奥托尼克斯	BRQ mirror reflection photoelectric sensor	-	BRQM3M-PDTA	60	\$13.06	\$18.56
Autonics/奥托尼克斯	Photoelectric/Proximity Sensor Connector Cable Series Connection Cables	Thread Shell Material: Brass Nickel Plating	CLD3-5	59	\$4.58	\$8.29
Autonics/奥托尼克斯	PRW cylindrical induction proximity switch (wiring lead out plug-in type)	110V/220VAC Product type: Sensor controller	PRWT12-2DO	59	\$9.77	\$22.00
Autonics/奥托尼克斯	PA-12 series control relay	-	PA-12	58	\$21.73	\$43.29
Autonics/奥托尼克斯	MX4W LCD Display Digital Voltage and Current Meter	material: heat-resistant ABS detection distance:	MX4W-V-FN	58	\$22.60	\$14,285.57
Autonics/奥托尼克斯	BEN mirror reflection photoelectric sensor	Thread Shell Material: Brass Nickel Plating	BEN3M-PFR	57	\$17.12	\$38.57
Autonics/奥托尼克斯	PRS cylindrical induction proximity switch (wiring lead out type)	Detection Distance: 1000mm Output Type:	PRS12-2DN	57	\$11.81	\$41.78
Autonics/奥托尼克斯	BJ diffuse reflection photoelectric sensor	Thread Shell Material: PA Dimensions: M18	BJ1M-DDT-P	57	\$14.78	\$41.43
Autonics/奥托尼克斯	CR capacitive cylindrical proximity switch	-	CR18-8AO	56	\$18.19	\$73.62
Autonics/奥托尼克斯	BRP diffuse reflection photoelectric sensor (cylindrical type)	Action mode: NC Output type: PNP Power supply	BRP200-DDTN	56	\$24.98	\$112.09
Autonics/奥托尼克斯	BR type photoelectric sensor (cylindrical)	Thread Shell Material: Brass Nickel Plating	BR20M-TDTD-P	56	\$22.81	\$53.14
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCMT12-2DO	56	\$9.23	\$21.43
Autonics/奥托尼克斯	PRDCM remote detection cylindrical proximity switch (plug-in type)	Material: Heat resistant ABS Detection distance:	PRDCM18-7DN	56	\$12.05	\$14,285.57
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN25-5AO	55	\$10.78	\$47.09
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-2500-6-L-5	55	\$62.53	\$269.93
Autonics/奥托尼克斯	MT4Y current frequency multifunction meter	-	MT4Y-AA-4N	55	\$41.43	\$14,285.57
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	-	PRL12-2DP	54	\$9.77	\$41.78
Autonics/奥托尼克斯	PSK1 small digital display pressure sensor	-	PSK1-C1C-R1/8	54	\$17.82	\$42.86
Autonics/奥托尼克斯	PRA cylindrical splash proof proximity switch (wiring lead out type)	Thread Shell Material: Brass Detection Distance:	PRAT18-5DO	54	\$27.76	\$88.21

Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDL30-15DN	54	\$11.92	\$14,285.57
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-500-3-T-24	54	\$43.96	\$193.00
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDLT18-7DO	53	\$10.71	\$45.10
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT6Y-1P4	52	\$42.40	\$90.29
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN25-5AC	51	\$10.96	\$47.09
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-100-3-N-24	51	\$36.60	\$165.14
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL08-2DP2	50	\$13.83	\$14,285.57
Autonics/奥托尼克斯	PRS cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRS12-2DP	50	\$9.91	\$41.78
Autonics/奥托尼克斯	BRP diffuse reflection photoelectric sensor (cylindrical type)	Detection Distance: 200mm Output Type: PNP	BRP200-DDTN-P	50	\$26.46	\$112.09
Autonics/奥托尼克斯	FXM series programmable digital counter	-	FX4M-1P4	50	\$55.25	\$201.86
Autonics/奥托尼克斯	TC Economy Single Display PID Temperature Controller	-	TC4L-14R	50	\$25.54	\$25.26
Autonics/奥托尼克斯	PRA cylindrical splash proof proximity switch (wiring lead out type)	Thread Shell Material: Brass Detection Distance:	PRA12-2DN	50	\$28.93	\$76.53
Autonics/奥托尼克斯	D1SA LED digital display meter	-	D1SA-GN	48	\$19.63	\$47.57
Autonics/奥托尼克斯	PRW cylindrical induction proximity switch (wiring lead out plug-in type)	Thread Shell Material: Brass Nickel Plating	PRW08-2DN	48	\$11.43	\$49.08
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-1000-3-N-24	48	\$51.59	\$232.79
Autonics/奥托尼克斯	CX programmable digital counter/timer	-	CX6M-1P4	48	\$28.38	\$100.71
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-1024-3-T-24	47	\$53.86	\$188.57
Autonics/奥托尼克斯	AT8SDN series analog timer	-	AT8SDN	47	\$15.32	\$45.86
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL18-8AC	47	\$10.51	\$24.00
Autonics/奥托尼克斯	BR type photoelectric sensor (cylindrical type)	-	BR4M-TDTL-P	46	\$22.14	\$14,285.57
Autonics/奥托尼克斯	Photoelectric/Proximity Sensor Connector Cable Series Connection Cables	-	CID2-5	46	\$4.86	\$8.29
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 40mm	FDC-320-05	45	\$9.30	\$30.00
Autonics/奥托尼克斯	MP5M Series Multifunctional Table	-	MP5M-4N	45	\$98.78	\$238.29
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM18-5AC	45	\$17.39	\$14,285.57
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM12-2AC	45	\$17.39	\$14,285.57

Autonics/奥托尼克斯	BR type photoelectric sensor (cylindrical)	Action mode: NC Output type: PNP Power supply	BR4M-TDTD-P	45	\$21.02	\$82.00
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDT12-4DO	44	\$10.33	\$48.41
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 40mm	FDS2-320-05	44	\$20.54	\$65.00
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM18-8DP	44	\$9.08	\$21.43
Autonics/奥托尼克斯	BX diffuse reflection photoelectric sensor (terminal type)	-	BX700-DDT	44	\$20.26	\$93.14
Autonics/奥托尼克斯	Area Sensor Connector Cable Series Light Curtain Connector Cable	-	CID4-3R	44	\$6.19	\$11.43
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDT18-7DC	43	\$11.20	\$45.10
Autonics/奥托尼克斯	ENC series wheel incremental rotary encoder	-	ENC-1-1-N-24	43	\$44.48	\$173.14
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H8-100-3-T-24	43	\$43.59	\$46.40
Autonics/奥托尼克斯	BJN diffuse reflection photoelectric sensor	Detection Distance: 30-70mm Output Type: NPN	BJN50-NDT	42	\$33.58	\$105.45
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT6S-1P4T	42	\$45.93	\$162.86
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD12-8DN2	42	\$10.95	\$47.75
Autonics/奥托尼克斯	ENC series wheel incremental rotary encoder	-	ENC-1-1-T-24	41	\$44.05	\$113.71
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT30-10DO	41	\$10.87	\$21.43
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN17-5DPU	41	\$5.40	\$25.20
Autonics/奥托尼克斯	LE4S series LCD display timer	-	LE4SA	41	\$38.57	\$131.14
Autonics/奥托尼克斯	TC Economy Single Display PID Temperature Controller	-	TC4M-24R	40	\$21.56	\$49.71
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-60-3-T-24	40	\$38.22	\$165.14
Autonics/奥托尼克斯	PRT cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRT30-15DC	40	\$9.52	\$14,285.57
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM30-15DP	40	\$12.09	\$26.00
Autonics/奥托尼克斯	BYD reflective photoelectric sensor	-	BYD3M-TDT	40	\$19.30	\$63.43
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-10AC	40	\$11.27	\$44.57
Autonics/奥托尼克斯	BJX diffuse reflection photoelectric sensor	Detection distance: 100mm Wiring method: 3-	BJX100-DDT	40	\$14.71	\$14,285.57
Autonics/奥托尼克斯	PRA cylindrical splash proof proximity switch (wiring lead out type)	Thread Shell Material: Brass Detection Distance:	PRA18-5DN	40	\$31.52	\$14,285.57
Autonics/奥托尼克斯	ENC series wheel incremental rotary encoder	-	ENC-1-3-N-24	40	\$46.73	\$14,285.57

Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL08-2DN2	40	\$13.83	\$30.00
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM12-2DN	40	\$9.30	\$21.43
Autonics/奥托尼克斯	PRDCM remote detection cylindrical proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRDCM12-8DP	39	\$12.83	\$61.68
Autonics/奥托尼克斯	TM series temperature controller	-	TM4-N2SB	38	\$71.85	\$155.14
Autonics/奥托尼克斯	MP5W High Performance Digital Pulse Meter	-	MP5W-41	38	\$74.06	\$14,285.57
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT6S-I4	38	\$38.98	\$78.00
Autonics/奥托尼克斯	BJ type photoelectric sensor	Action mode: NO or NC Output type: PNP Power	BJ7M-TDT-P	37	\$17.43	\$46.57
Autonics/奥托尼克斯	BEN diffuse reflection photoelectric sensor	-	BEN300-DDT	37	\$16.67	\$38.57
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 40mm	FDS-320-05	36	\$23.31	\$14,285.57
Autonics/奥托尼克斯	BRP diffuse reflection photoelectric sensor (cylindrical)	Detection Distance: 100mm Output Type: PNP	BRP100-DDT-P	36	\$16.02	\$38.86
Autonics/奥托尼克斯	CID cable and adapter	-	CID4-5R	36	\$7.84	\$14,285.57
Autonics/奥托尼克斯	PSAN small digital display pressure sensor	-	PSAN-C01CV-RC1/8	36	\$57.33	\$166.71
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD18-7DP2	36	\$10.97	\$47.75
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-3600-3-N-24	35	\$56.46	\$254.68
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT6M-2P4	35	\$54.08	\$131.43
Autonics/奥托尼克斯	CX programmable digital counter/timer	-	CX6S-2P4	35	\$25.03	\$89.14
Autonics/奥托尼克斯	BPS reflective photoelectric sensor (built-in amplifier)	Action mode: NC Output type: PNP Power supply	BPS3M-TDT-P	35	\$29.42	\$61.14
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR12-4AO	35	\$9.84	\$24.00
Autonics/奥托尼克斯	FX series counter	-	FX6Y-I4	35	\$43.83	\$44.04
Autonics/奥托尼克斯	BWP ultra-thin plastic body area sensor	-	BWP20-12	34	\$100.49	\$14,285.57
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H10-1000-3-T-24	34	\$46.21	\$221.52
Autonics/奥托尼克斯	BYD diffuse reflection photoelectric sensor	Detection Distance: 10- 50mm Output Type: NPN	BYD50-DDT-U	33	\$19.76	\$80.91
Autonics/奥托尼克斯	ENC series wheel incremental rotary encoder	-	ENC-1-2-N-24	33	\$46.73	\$173.14
Autonics/奥托尼克斯	BC color code sensor	-	BC15-LDT-C	33	\$80.21	\$14,285.57
Autonics/奥托尼克斯	BRQ diffuse reflection photoelectric sensor	-	BRQM100-DDTA-P	33	\$15.34	\$15.34

Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCM30-10DP	32	\$12.09	\$51.07
Autonics/奥托尼克斯	BUP U-shaped photoelectric sensor	detection distance: 50mm output type: NPN action	BUP-50S	32	\$24.68	\$58.57
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40HB8-1000-3-T-24	32	\$49.25	\$212.89
Autonics/奥托尼克斯	AT8PSN/AT8PMN series analog timer	-	AT8PSN-2	32	\$20.13	\$48.86
Autonics/奥托尼克斯	FS series programmable digital counter	-	FS4-1P4	32	\$56.40	\$48.83
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT6M-1P2	31	\$52.50	\$111.71
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD12-4DP2	31	\$10.97	\$47.75
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR08-1.5DP2	31	\$9.59	\$45.10
Autonics/奥托尼克斯	BJX type photoelectric sensor	-	BJX10M-TDT	31	\$18.57	\$14,285.57
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4M-R4RN	31	\$50.09	\$51.03
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	Material: Heat resistant ABS Detection distance:	PS12-4DN2	30	\$9.55	\$43.11
Autonics/奥托尼克斯	CT programmable digital counter/timer	-	CT4S-1P2	30	\$40.80	\$85.14
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-10AO	30	\$12.09	\$44.57
Autonics/奥托尼克斯	BS5 type photoelectric sensor	-	BS5-L2M-P	30	\$4.94	\$14,285.57
Autonics/奥托尼克斯	BWP ultra-thin plastic body area sensor	-	BWP20-08	30	\$85.78	\$14,285.57
Autonics/奥托尼克斯	PRL cylindrical inductive proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRL30-15DN2	30	\$11.71	\$14,285.57
Autonics/奥托尼克斯	BEN mirror reflection photoelectric sensor	-	BEN7M-MDR	30	\$18.76	\$27.14
Autonics/奥托尼克斯	BJX diffuse reflection photoelectric sensor	-	BJX1M-DDT	30	\$15.06	\$72.29
Autonics/奥托尼克斯	BRQ diffuse reflection photoelectric sensor	plating Detection distance: 100mm Wiring method: 4-	BRQM100-DDTA-C-P	30	\$15.81	\$14,285.57
Autonics/奥托尼克斯	TCN Economic Dual Display PID Temperature Controller	-	TCN4M-22R	30	\$27.08	\$25.76
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-1000-6-L-5	29	\$45.67	\$109.71
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 40mm	FD-320-F	29	\$17.02	\$73.62
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCMT18-5DC	29	\$9.91	\$14,285.57
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4L-24RN	29	\$50.11	\$51.03
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN25-5DP	29	\$8.17	\$14,285.57

Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD18-14DP	28	\$9.15	\$23.14
Autonics/奥托尼克斯	ENC series wheel incremental rotary encoder	-	ENC-1-2-T-24	28	\$44.48	\$113.71
Autonics/奥托尼克斯	ATN multifunctional analog timer	-	AT11DN	28	\$13.27	\$24.29
Autonics/奥托尼克斯	T3/T4 digital dip switch setting type temperature controller	-	T3S-B4RP4C-N	28	\$65.19	\$159.00
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN30-15DN2	28	\$9.97	\$43.11
Autonics/奥托尼克斯	TX LCD displays PID temperature controller	-	TX4S-A4R	28	\$34.19	\$30.51
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD18-14DN2	28	\$10.12	\$47.75
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 120mm	FDS2-620-10	27	\$12.87	\$54.38
Autonics/奥托尼克斯	E80H incremental rotary encoder with an outer diameter of 80mm (hollow shaft type)	-	E80H30-1024-3-T-24	27	\$116.81	\$552.90
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-600-3-N-24	26	\$44.57	\$92.86
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-1024-6-L-5	26	\$47.06	\$212.23
Autonics/奥托尼克斯	CLD cables and adapters	-	CLD2-2	25	\$2.96	\$14,285.57
Autonics/奥托尼克斯	BR type photoelectric sensor (cylindrical)	-	BR4M-TDTL	25	\$22.14	\$53.14
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDLT30-25DO	25	\$11.92	\$14,285.57
Autonics/奥托尼克斯	BJ diffuse reflection photoelectric sensor	Detection Distance: 10-50mm Output Type: NPN	BJ50-BDT	25	\$22.36	\$105.45
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-2000-3-N-24	25	\$47.84	\$215.55
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4W-14RN	25	\$45.44	\$46.28
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 130mm	FD-620-10R	25	\$30.10	\$174.43
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-200-3-T-24	24	\$39.85	\$92.86
Autonics/奥托尼克斯	BW series standard light curtain	-	BW40-14	24	\$182.37	\$14,285.57
Autonics/奥托尼克斯	BJN diffuse reflection photoelectric sensor	Detection Distance: 70-130mm Output Type: NPN	BJN100-NDT	24	\$32.57	\$105.45
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-100-3-N-24	24	\$39.87	\$179.73
Autonics/奥托尼克斯	MS series reflective lenses	-	MS-3	24	\$3.60	\$14,285.57
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H8-1000-3-N-24	24	\$47.23	\$110.00
Autonics/奥托尼克斯	Area Sensor Connector Cable Series Light Curtain Connector Cable	-	CID4-3T	23	\$6.19	\$11.43

Autonics/奥托尼克斯	FXS series counter	-	FX4S-1P2	23	\$45.74	\$162.43
Autonics/奥托尼克斯	BR mirror reflection photoelectric sensor (cylindrical type)	Shell material: brass nickel plating Detection distance:	BR3M-MDT-P	23	\$24.61	\$14,285.57
Autonics/奥托尼克斯	BX diffuse reflection photoelectric sensor (terminal type)	Detection Distance: 700mm Output Type:	BX700-DFR-T	23	\$23.96	\$52.29
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-2000-3-N-24	23	\$51.59	\$232.79
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4S-B4CN	23	\$51.91	\$14,285.57
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4W-14CN	23	\$48.62	\$46.28
Autonics/奥托尼克斯	CR capacitive cylindrical proximity switch	Thread Shell Material: Brass Nickel Plating	CR30-15DP	22	\$15.40	\$79.59
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-1000-6-L-5	22	\$59.87	\$139.43
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	Material: Heat resistant ABS Detection distance:	PS50-30DN2	22	\$20.97	\$84.89
Autonics/奥托尼克斯	BMS diffuse reflection photoelectric sensor	-	BMS300-DDT	21	\$20.71	\$48.29
Autonics/奥托尼克斯	PSN Inductive Square Proximity Switch	Material: Heat resistant ABS Detection distance:	PSN30-10AO	21	\$11.92	\$14,285.57
Autonics/奥托尼克斯	BW series standard light curtain	-	BW20-24P	21	\$213.20	\$217.35
Autonics/奥托尼克斯	BTF diffuse reflection photoelectric sensor	Detection distance: 5-30mm Output type: NPN	BTF30-DDTL	21	\$33.91	\$48.29
Autonics/奥托尼克斯	BX mirror reflective photoelectric sensor (terminal type)	Material: PC Detection Distance: 5m Output Type:	BX5M-MFR-T	21	\$25.46	\$101.47
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4H-14SN	21	\$45.44	\$46.28
Autonics/奥托尼克斯	PSAN small digital display pressure sensor	-	PSAN-C01CA-RC1/8	21	\$55.99	\$49.97
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H8-3600-6-L-5	21	\$73.19	\$143.14
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H12-5000-6-L-5	21	\$90.05	\$14,285.57
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-60-3-T-24	21	\$39.87	\$14,285.57
Autonics/奥托尼克斯	PRW cylindrical induction proximity switch (wiring lead out plug-in type)	Thread Shell Material: Brass Nickel Plating	PRW12-4DN	20	\$10.25	\$43.11
Autonics/奥托尼克斯	SRH1 Solid State Relay	-	SRH1-1430-N	20	\$32.74	\$72.86
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H10-2500-3-T-24	20	\$52.22	\$235.44
Autonics/奥托尼克斯	BJ mirror reflective photoelectric sensor	material: PC Detection distance: 3m Output type:	BJ3M-PDT-C	20	\$42.29	\$111.42
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4SP-14SN	20	\$36.12	\$84.57
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRDLT18-14DC	20	\$10.93	\$14,285.57

Autonics/奥托尼克斯	E60H outer diameter 60mm incremental rotary encoder (hollow shaft type)	-	E60H20-100-3-T-24	20	\$100.19	\$95.00
Autonics/奥托尼克斯	BW series standard light curtain	-	BW40-20	20	\$249.23	\$14,285.57
Autonics/奥托尼克斯	BW series standard light curtain	-	BW20-08	20	\$82.98	\$14,285.57
Autonics/奥托尼克斯	PS Inductive Square Proximity Sensor	Material: Heat resistant ABS Detection distance:	PS12-4DNU	20	\$9.55	\$43.11
Autonics/奥托尼克斯	BW series standard light curtain	-	BW20-20	20	\$167.92	\$14,285.57
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PR30-10DP	19	\$9.83	\$23.43
Autonics/奥托尼克斯	BTS type photoelectric sensor (ultra small)	-	BTS1M-TDTL	19	\$42.79	\$135.96
Autonics/奥托尼克斯	BC color code sensor	-	BC15-LDT-C-P	19	\$99.91	\$14,285.57
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 35mm	FD-420-06B	19	\$31.05	\$14,285.57
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-8000-3-T-24	19	\$92.10	\$14,285.57
Autonics/奥托尼克斯	PRDCM remote detection cylindrical proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRDCM18-7DP	19	\$13.35	\$14,285.57
Autonics/奥托尼克斯	PRCM cylindrical induction proximity switch (plug-in type)	Thread Shell Material: Brass Nickel Plating	PRCMT18-8DC	19	\$9.91	\$41.78
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H10-1000-3-N-24	19	\$49.10	\$114.29
Autonics/奥托尼克斯	BX type photoelectric sensor (terminal type)	-	BX15M-TDT-T	18	\$37.53	\$14,285.57
Autonics/奥托尼克斯	TM thermostat	-	TM4-N2SE	18	\$72.97	\$149.43
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 60mm	FD-320-F1	18	\$16.49	\$73.62
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-1024-3-N-24	18	\$42.84	\$99.71
Autonics/奥托尼克斯	CID cable and adapter	-	CID408-2	18	\$9.51	\$14,285.57
Autonics/奥托尼克斯	FD fiber optic induction head	Detection distance: 40mm	FD-310-05	18	\$11.26	\$49.74
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-500-3-N-24	18	\$42.84	\$193.00
Autonics/奥托尼克斯	E50S incremental rotary encoder with an outer diameter of 50mm (shaft type)	-	E50S8-3600-3-N-24	18	\$57.39	\$203.57
Autonics/奥托尼克斯	E40H outer diameter 40mm incremental rotary encoder (hollow shaft type)	-	E40H8-5000-6-L-5	18	\$78.65	\$354.16
Autonics/奥托尼克斯	E60H outer diameter 60mm incremental rotary encoder (hollow shaft type)	-	E60H20-1024-3-T-24	17	\$130.39	\$341.57
Autonics/奥托尼克斯	PRD remote detection cylindrical proximity switch (wiring lead out type)	Thread Shell Material: Brass Nickel Plating	PRD12-8DP2	17	\$10.97	\$47.75
Autonics/奥托尼克斯	BRQ type photoelectric sensor	-	BRQM20M-TDTA-C-P	17	\$24.68	\$24.38

Autonics/奥托尼克斯	BW series standard light curtain	-	BW40-10	17	\$144.19	\$146.85
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-2000-3-T-24	15	\$47.84	\$215.55
Autonics/奥托尼克斯	BW series standard light curtain	-	BW20-16	15	\$136.31	\$14,285.57
Autonics/奥托尼克斯	PR cylindrical induction proximity switch (wiring lead out type)	-	PRDW08-4DN	10	\$15.81	\$22.86
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4S-B4RN	10	\$54.92	\$52.88
Autonics/奥托尼克斯	BW series standard light curtain	-	BW20-36	10	\$280.43	\$605.87
Autonics/奥托尼克斯	BW series standard light curtain	-	BW20-48	10	\$349.51	\$743.31
Autonics/奥托尼克斯	BWP ultra-thin plastic body area sensor	-	BWP20-08P	10	\$122.48	\$14,285.57
Autonics/奥托尼克斯	BWP ultra-thin plastic body area sensor	-	BWP20-20	10	\$170.89	\$184.67
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4S-24RN	10	\$48.01	\$14,285.57
Autonics/奥托尼克斯	BW series standard light curtain	-	BW20-24	10	\$205.40	\$14,285.57
Autonics/奥托尼克斯	BW series standard light curtain	-	BW20-32	10	\$268.54	\$14,285.57
Autonics/奥托尼克斯	E40S outer diameter 40mm incremental rotary encoder (shaft type)	-	E40S6-5000-3-T-24	8	\$68.75	\$237.00
Autonics/奥托尼克斯	TK high-performance PID temperature controller	-	TK4S-24CN	8	\$44.83	\$14,285.57
Autonics/奥托尼克斯	BW series standard light curtain	-	BW20-28	5	\$239.01	\$14,285.57
Autonics/奥托尼克斯	MP5M Series Multifunctional Table	-	MP5M-42	5	\$133.34	\$117.20